Trade name: DISPERSIONSFLIESENKLEBSTOFFE

Product no.: DISPK

Current version: 4.1.0, issued: 09.03.2023 Reglaced version: 4.0.0, issued: 07.09.2022 Region: GB

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name

## DISPERSIONSFLIESENKLEBSTOFFE

## **DRAUF & SITZT**

#### FESTER HALT STYROPORKLEBER

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses of the substance or mixture

Chemical product for building, modernising and repairing.

#### Uses advised against

No data available.

#### 1.3 Details of the supplier of the safety data sheet

#### **Address**

LUGATO GmbH & Co. KG

Großer Kamp 1

D-22885 Barsbüttel

Telephone no. +49 (0)40 694 07-0

Fax no. +49 (0)40 694 07-109 + 110

## Information provided by / telephone

Department TS, telephone +49 40 694 07-222

e-mail: technik@lugato.de

## **Advice on Safety Data Sheet**

technik@lugato.de

#### 1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Skin Sens. 1; H317

### Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Appex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

## 2.2 Label elements

## <u>Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)</u>

#### Hazard pictograms



#### Signal word

Warning

Hazardous component(s) to be indicated on label:

Trade name: DISPERSIONSFLIESENKLEBSTOFFE

Product no.: DISPK

Current version: 4.1.0, issued: 09.03.2023 Replaced version: 4.0.0, issued: 07.09.2022 Region: GB

2-methyl-2H-isothiazol-3-one

Hazard statement(s)

H317 May cause an allergic skin reaction.

Hazard statements (EU)

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-

3-one and 2-methyl-2H -isothiazol-3-one (3:1). May produce an allergic reaction.

Precautionary statement(s)

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P501 Dispose of contents/container to hazardous or special waste collection point.

#### 2.3 Other hazards

No data available.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable. The product is not a substance.

#### 3.2 Mixtures

#### **Chemical characterization**

Modified aqueous synthetic resin dispersion.

**Hazardous ingredients** 

| No | Substance name               |   | Additional information     |     |
|----|------------------------------|---|----------------------------|-----|
|    | CAS / EC / Index /           | Classification (EC) 1272/2008 (CLP)           | Concentration              | %   |
|    | REACH no                     |   |                            |     |
| 1  | 2-methyl-2H-isothiazol-3-one |   |                            |     |
|    | 2682-20-4                    | Acute Tox. 2; H330                            | < 0.10                     | wt% |
|    | 220-239-6                    | Acute Tox. 3; H301                            |                            |     |
|    | 613-326-00-9                 | Acute Tox. 3; H311                            |                            |     |
|    | -                            | Aquatic Acute 1; H400                         |                            |     |
|    |                              | Aquatic Chronic 1; H410                       |                            |     |
|    |                              | EUH071  |                            |     |
|    |                              | Eye Dam. 1; H318                              |                            |     |
|    |                              | Skin Corr. 1B; H314                           |                            |     |
|    |                              | Skin Sens. 1A; H317                           |                            |     |
| 2  | 1,2-benzisothiazol-          |   | pls. refer to footnote (1) |     |
|    | 2634-33-5                    | Acute Tox. 4*; H302                           | < 0.05                     | wt% |
|    | 220-120-9                    | Eye Dam. 1; H318                              |                            |     |
|    | 613-088-00-6                 | Skin Irrit. 2; H315                           |                            |     |
|    | -                            | Skin Sens. 1; H317                            |                            |     |
|    |                              | Acute Tox. 2; H330                            |                            |     |
|    |                              | Aquatic Acute 1; H400                         |                            |     |
| _  |                              | Aquatic Chronic 2; H411                       |                            |     |
| 3  |                              | i-chloro-2-methyl-4-isothiazolin-3-one and 2- |                            |     |
|    | methyl-2H -isothiaz          |   |                            |     |
|    | 55965-84-9                   | Acute Tox. 2; H310                            | < 0.0015                   | wt% |
|    | -                            | Acute Tox. 2; H330                            |                            |     |
|    | 613-167-00-5                 | Acute Tox. 3; H301                            |                            |     |
|    | -                            | Aquatic Acute 1; H400                         |                            |     |
|    |                              | Aquatic Chronic 1; H410                       |                            |     |
|    |                              | EUH071  |                            |     |
|    |                              | Eye Dam. 1; H318                              |                            |     |
|    |                              | Skin Corr. 1C; H314                           |                            |     |
|    |                              | Skin Sens. 1A; H317                           |                            |     |

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(\*,\*\*,\*\*\*,\*\*\*\*) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

<sup>(1)</sup> Aberrant from/in addition to the classification set out in Annex VI, this substance is classified according to European Regulation (EC) No 1272/2008 (CLP), Article 4 (3), paragraph 2.

Trade name: DISPERSIONSFLIESENKLEBSTOFFE

Product no.: DISPK

Current version: 4.1.0, issued: 09.03.2023 Replaced version: 4.0.0, issued: 07.09.2022 Region: GB

| No | Note | Specific concentration limits   | M-factor (acute) | M-factor (chronic) |
|----|------|---|------------------|--------------------|
| 1  | -    | Skin Sens. 1A; H317: C >= 0.0015%   | M = 10           | M = 1              |
| 2  | -    | Skin Sens. 1; H317: C >= 0.05%  | -                | -                  |
| 3  | В    | Skin Sens. 1A; H317: C >= 0.0015%<br>Eye Irrit. 2; H319: C >= 0.06%<br>Skin Irrit. 2; H315: C >= 0.06%<br>Skin Corr. 1C; H314: C >= 0.6%<br>Eye Dam. 1; H318: C >= 0.6% | M = 100          | M = 100            |

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

#### **General information**

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes and launder thoroughly before reusing.

#### After inhalation

No special measures necessary.

#### After skin contact

Remove with a cloth or paper. Wash off immediately with soap and water.

#### After eve contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

#### After indestion

Seek medical advice immediately. Never give anything by mouth to an unconscious person.

## 4.2 Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

#### Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

## Unsuitable extinguishing media

High power water jet

#### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2)

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing.

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8.

#### For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

#### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

## 6.3 Methods and material for containment and cleaning up

Trade name: DISPERSIONSFLIESENKLEBSTOFFE

Product no.: DISPK

Current version: 4.1.0, issued: 09.03.2023 Replaced version: 4.0.0, issued: 07.09.2022 Region: GB

Collect mechanically. Send in suitable containers for recovery or disposal.

#### 6.4 Reference to other sections

No data available.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

#### Advice on safe handling

Ensure adequate ventilation. Refer to protective measures listed in section 8.

#### General protective and hygiene measures

Wash hands before breaks and after work.

#### Advice on protection against fire and explosion

No special measures necessary.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place. Keep from freezing.

#### Requirements for storage rooms and vessels

Store product in closed containers.

#### Incompatible products

None known

#### 7.3 Specific end use(s)

No data available.

## SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

No parameters available for monitoring.

#### 8.2 Exposure controls

#### Appropriate engineering controls

No data available.

#### Personal protective equipment

## Respiratory protection

No special measures required.

#### Eye / face protection

No special measures required.

## **Hand protection**

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material Nitrile impregnated protective gloves

#### Other

No special measures required.

#### **Environmental exposure controls**

No data available.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

liquid

Trade name: DISPERSIONSFLIESENKLEBSTOFFE

Product no.: DISPK

Current version: 4.1.0, issued: 09.03.2023 Replaced version: 4.0.0, issued: 07.09.2022 Region: GB

Form pasty

Colour

white

Odour

weak

pH value

Value 7.9 - 8.5

**Boiling point / boiling range** 

No data available

Melting point/freezing point

No data available

**Decomposition temperature** 

No data available

Flash point

Not applicable

Ignition temperature

No data available

Flammability

No data available

Lower explosion limit

No data available

**Upper explosion limit** 

No data available

Vapour pressure

No data available

Relative vapour density

No data available

Relative density

No data available

Density

Value 1.590 - 1.665 g/cm<sup>3</sup>

Solubility in water

Comments miscible in all proportions

Solubility

No data available

Partition coefficient n-octanol/water (log value)

No data available

Kinematic viscosity

No data available

Particle characteristics

No data available

9.2 Other information

Other information

No data available.

**SECTION 10: Stability and reactivity** 

Trade name: DISPERSIONSFLIESENKLEBSTOFFE

Product no.: DISPK

Current version: 4.1.0, issued: 09.03.2023 Replaced version: 4.0.0, issued: 07.09.2022 Region: GB

## 10.1 Reactivity

No data available.

#### 10.2 Chemical stability

No data available.

#### 10.3 Possibility of hazardous reactions

No data available.

#### 10.4 Conditions to avoid

No data available.

#### 10.5 Incompatible materials

None known.

## 10.6 Hazardous decomposition products

No hazardous decomposition products known.

## **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Acute oral toxicity

No data available

#### Acute dermal toxicity

No data available

#### Acute inhalational toxicity

No data available

#### Skin corrosion/irritation

No data available

## Serious eye damage/irritation

No data available

## Respiratory or skin sensitisation

No data available

#### Germ cell mutagenicity

No data available

## Reproduction toxicity

No data available

## Carcinogenicity

No data available

## STOT - single exposure

No data available

#### STOT - repeated exposure

No data available

## **Aspiration hazard**

No data available

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

No data available.

#### Other information

By appropiate use of the product no health damage is known.

## **SECTION 12:** Ecological information

Trade name: DISPERSIONSFLIESENKLEBSTOFFE

Product no.: DISPK

Current version: 4.1.0, issued: 09.03.2023 Reglaced version: 4.0.0, issued: 07.09.2022 Region: GB

## 12.1 Toxicity

#### Toxicity to fish (acute)

No data available

#### **Toxicity to fish (chronic)**

No data available

#### **Toxicity to Daphnia (acute)**

No data available

#### **Toxicity to Daphnia (chronic)**

No data available

#### Toxicity to algae (acute)

No data available

#### Toxicity to algae (chronic)

No data available

#### **Bacteria toxicity**

No data available

## 12.2 Persistence and degradability

No data available.

#### 12.3 Bioaccumulative potential

No data available.

#### 12.4 Mobility in soil

No data available.

#### 12.5 Results of PBT and vPvB assessment

No data available.

#### 12.6 Endocrine disrupting properties

No data available.

## 12.7 Other adverse effects

No data available.

#### 12.8 Other information

#### Other information

Do not discharge into drains or waters and do not dispose of in public landfills.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

#### **Packaging**

Completely emptied packagings can be given for recycling. Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company.

## **SECTION 14: Transport information**

#### 14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

#### 14.2 Transport IMDG

The product is not subject to IMDG regulations.

## 14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

Trade name: DISPERSIONSFLIESENKLEBSTOFFE

Product no.: DISPK

Current version: 4.1.0, issued: 09.03.2023 Reglaced version: 4.0.0, issued: 07.09.2022 Region: GB

#### 14.4 Other information

No data available.

#### 14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

#### 14.6 Special precautions for user

No data available.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not relevant

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

#### Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

#### REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

# Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

| No | Substance name               | CAS no.   | EC no.    | No |
|----|------------------------------|-----------|-----------|----|
| 1  | 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | 220-120-9 | 75 |
| 2  | 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | 220-120-9 | 75 |
| 3  | 2-methyl-2H-isothiazol-3-one | 2682-20-4 | 220-239-6 | 75 |
| 4  | potassium hydroxide          | 1310-58-3 | 215-181-3 | 75 |

## Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

#### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

## **SECTION 16: Other information**

#### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

# Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

EUH071 Corrosive to the respiratory tract.

H301 Toxic if swallowed.
H302 Harmful if swallowed.
H310 Fatal in contact with skin.
H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

Trade name: DISPERSIONSFLIESENKLEBSTOFFE

Product no.: DISPK

Current version: 4.1.0, issued: 09.03.2023 Replaced version: 4.0.0, issued: 07.09.2022 Region: GB

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.

# Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

R

Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

baoio.

#### Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 646465