Trade name: FÜLLSPACHTEL

Product no.: LSP

Current version: 2.0.0, issued: 11.08.2021 Reglaced version: 1.0.0, issued: 25.02.2021 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

FÜLLSPACHTEL

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Chemical product for building, modernising and repairing.

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

LUGATO GmbH & Co. KG

Großer Kamp 1

D-22885 Barsbüttel

Telephone no. +49 (0)40 694 07-0

Fax no. +49 (0)40 694 07-109 + 110

Information provided by / telephone

Department TS, telephone +49 40 694 07-222

e-mail: technik@lugato.de

Advice on Safety Data Sheet

technik@lugato.de

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

This product does not meet the classification criteria given in the Regulation (EC) No 1272/2008 (CLP).

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms

-

Signal word

-

Hazard statement(s)

-

Hazard statements (EU)

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe

spray or mist.

Precautionary statement(s)

-

Trade name: FÜLLSPACHTEL

Product no.: LSP

Current version: 2.0.0, issued: 11.08.2021 Reglaced version: 1.0.0, issued: 25.02.2021 Region: GB

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Chemical characterization

Preparation containing hazardous components given in the following list.

Hazardous ingredients

	nazaruous ingretients				
No	Substance name		Additional information		
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Concentration	%	
	REACH no				
1	titanium dioxide; [i	n powder form containing 1 % or more of			
	particles with aero	dynamic diameter ≤ 10 μm]			
	13463-67-7	Carc. 2; H351i	1.00 - 4.00	wt%	
	236-675-5				
	-				
	01-2119489379-17				
2	1,2-benzisothiazol-	3(2H)-one			
	2634-33-5	Acute Tox. 4; H302	< 0.05	wt%	
	220-120-9	Eye Dam. 1; H318			
	613-088-00-6	Skin Irrit. 2; H315			
	01-2120761540-60	Skin Sens. 1; H317			
		Aquatic Acute 1; H400			
		Aquatic Chronic 2; H411			

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
2	-	Skin Sens. 1; H317: C >= 0.05%	-	-

No	Route, target organ, concrete effect
1	H351i
	inhalational; -; -

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

After inhalation

Ensure supply of fresh air.

After skin contact

In case of contact with skin wash off immediately with soap and water.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

After ingestion

Rinse out mouth and give plenty of water to drink. Seek medical advice immediately. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

Trade name: FÜLLSPACHTEL

Product no.: LSP

Current version : 2.0.0, issued: 11.08.2021 **Replaced version:** 1.0.0, issued: 25.02.2021 **Region:** GB

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam; Dry chemical extinguisher; Water spray jet; Carbon dioxide

Unsuitable extinguishing media

No data available.

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide and carbon dioxide

5.3 Advice for firefighters

Use self-contained breathing apparatus. Use suitable protective clothing. Cool endangered containers with water spray jet.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g., sand). Send in suitable containers for recovery or disposal.

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Ensure adequate ventilation. Refer to protective measures listed in section 8.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Wash hands before breaks and after work.

Advice on protection against fire and explosion

No special measures necessary.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Store in a dry place. Protect from atmospheric moisture and water. Keep from freezing. Keep only in the original container in a cool, well ventilated place.

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed.

Incompatible products

Do not store together with: oxidizing agents; Acids

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

Trade name: FÜLLSPACHTEL

Product no.: LSP

Current version: 2.0.0, issued: 11.08.2021 Replaced version: 1.0.0, issued: 25.02.2021 Region: GB

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.
1	titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm]	13463-67-7		236-675-5
	List of approved workplace exposure limits (WELs) /	EH40		
	Titanium dioxide			
	total inhalable dust			
	WEL long-term (8-hr TWA reference period)	10	mg/m³	
	List of approved workplace exposure limits (WELs) /	EH40		
	Titanium dioxide			
	respirable dust			
	WEL long-term (8-hr TWA reference period)	4	mg/m³	

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name			CAS / EC no		
	Route of exposure			Value		
1	titanium dioxide; [in powder form containing 1 % or more of particles with			13463-67-7		
	aerodynamic diameter ≤ 10 µm]			236-675-5		
	inhalative	Long term (chronic)	local	10	mg/m³	

DNEL value (consumer)

No	No Substance name			CAS / EC no	
	Route of exposure				
1	titanium dioxide; [in powder form containing 1 % or more of particles with			13463-67-7	
	aerodynamic diameter ≤ 10 µm]			236-675-5	
	oral	Long term (chronic)	systemic	700	mg/kg/day

PNEC values

No	Substance name		CAS / EC no	
	ecological compartment	Туре	Value	
1	· · · · · · · · · · · · · · · · · · ·		13463-67-7 236-675-5	
	water	fresh water	0.127	mg/L
	water	marine water	1	mg/L
	water	Aqua intermittent	0.61	mg/L
	water	fresh water sediment	1000	mg/kg
	with reference to: dry weight		,	
	water	marine water sediment	100	mg/kg
	with reference to: dry weight		,	
	soil	-	100	mg/kg
	with reference to: dry weight		,	
	sewage treatment plant	-	100	mg/L
	secondary poisoning	mammalian	1667	mg/kg

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn.

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Trade name: FÜLLSPACHTEL

Product no.: LSP

Current version: 2.0.0, issued: 11.08.2021 Reglaced version: 1.0.0, issued: 25.02.2021 Region: GB

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material butyl
Material thickness >

Material thickness > 0.4 mm
Breakthrough time > 60 min

Appropriate Material nitrile rubber

Material thickness > 0.4 mm
Breakthrough time > 60 min

Other

Light protective clothing

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation	•			
liquid				
Form/Colour paste				
various				
Odour hardly perceptibly				
pH value				
No data available				
Boiling point / boiling range				
Value	>	35	°C	
Melting point/freezing point				
No data available				
Decomposition temperature				
No data available				
Flash point				
Value	>	93	°C	
Ignition temperature				
Value	>	100	°C	
Flammability	·			
No data available				
Lower explosion limit				
No data available				
Upper explosion limit				
No data available				
Vapour pressure Value		23	hPa	
		20	iii u	
Relative vapour density No data available				
Relative density				
Value	appr.	0.6		

Trade name: FÜLLSPACHTEL

Product no.: LSP

Current version : 2.0.0, issued: 11.08.2021 **Replaced version :** 1.0.0, issued: 25.02.2021 **Region:** GB

Density

No data available

Solubility

No data available

Partition coefficient n-octanol/water (log value)

No data available

Viscosity

No data available

Particle characteristics

No data available

9.2 Other information

Other information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Heat; Hot surfaces and open flames; Protect from heat and direct sunlight.

10.5 Incompatible materials

Oxidizing agents; Acids

10.6 Hazardous decomposition products

Carbon monoxide; Carbon dioxide

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	Acute oral toxicity						
No	Substance name		CAS no.		EC no.		
1	titanium dioxide; [in powder form conta more of particles with aerodynamic diar µm]		13463-67-7		236-675-5		
LD50))	>		2000	mg/kg bodyweight		
Spec	cies	rat					
Meth	nod	OECD 401					
Sour	ce	ECHA					
Eval	uation/classification	Based on ava	ailable data, the	classification	n criteria are not met.		

Acute dermal toxicity No data available

Acu	Acute inhalational toxicity					
No	Substance name		CAS no.		EC no.	
1	1 titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm]		13463-67-7		236-675-5	
LC5	0	>		6.82	mg/l	
	Duration of exposure			4	h	
Stat	State of aggregation					

Trade name: FÜLLSPACHTEL

Product no.: LSP

Current version: 2.0.0, issued: 11.08.2021 Replaced version: 1.0.0, issued: 25.02.2021 Region: GB

Species	rat
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.

Skin corrosion/irritation					
No	Substance name		CAS no.	EC no.	
1	titanium dioxide; [in powder form conta	ining 1 % or	13463-67-7	236-675-5	
	more of particles with aerodynamic diar	meter ≤ 10			
	μm]				
Spe	cies	rabbit			
Meth	nod	OECD 404			
Soul	rce	ECHA			
Evaluation		non-irritant			
Evaluation/classification		Based on av	ailable data, the cla	ssification criteria are not met.	

Seri	Serious eye damage/irritation				
No	Substance name		CAS no.	EC no.	
1	titanium dioxide; [in powder form conta more of particles with aerodynamic diar µm]		13463-67-7	236-675-5	
Spe		rabbit			
Met		OECD 405			
Sou	rce	ECHA			
Eva	luation	non-irritant			
Eva	luation/classification	Based on av	ailable data, the clas	ssification criteria are not met.	

Res	Respiratory or skin sensitisation			
No	Substance name	CAS no.	EC no.	
1	titanium dioxide; [in powder form conta more of particles with aerodynamic diar µm]		236-675-5	
Rout	te of exposure	Skin		
Spec	cies	mouse		
Meth	nod	OECD 429		
Source		ECHA		
Eval	uation	non-sensitizing		
Eval	uation/classification	Based on available data, the classification	ation criteria are not met.	

Ger	Germ cell mutagenicity				
No	Substance name	CAS no.	EC no.		
1	titanium dioxide; [in powder form conta more of particles with aerodynamic dia µm]		236-675-5		
Тур	e of examination	In vitro mammalian cytogenicity			
Met	hod	OECD 487			
Sou	rce	ECHA			
Evaluation/classification		Based on available data, the class	ification criteria are not met.		

Reproduction toxicity				
No Substance name		CAS no.	EC no.	
	powder form containing 1 %		236-675-5	
_	h aerodynamic diameter ≤ 10			
µm]				
Route of exposure	oral			
NOAEL	>=	1000	mg/kg bw/d	
Type of examination	Reproduc	ctive studies - one generation		
Species	rat			
Method	OECD 44	.3		
Source	ECHA			
Evaluation/classification	Based or	available data, the classifica	tion criteria are not met.	
Route of exposure	oral			
NOAEL		1000	mg/kg bw/d	

Trade name: FÜLLSPACHTEL

Product no.: LSP

Current version: 2.0.0, issued: 11.08.2021 Replaced version: 1.0.0, issued: 25.02.2021 Region: GB

Type of examination	Prenatal Developmental Toxicity Study
Species	rat
Method	OECD 414
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.

Card	Carcinogenicity				
No	Substance name		CAS no.	EC no.	
1	titanium dioxide; [in powder form conta more of particles with aerodynamic diar µm]		13463-67-7	236-675-5	
Rou	te of exposure	oral			
NOE	L		75	mg/kg bw/	d
Spec	cies	mouse			
Soul	Source				
Eval	uation/classification	Based on ava	ailable data, the cla	ssification criteria are met.	

STOT - single exposure

No data available

STO	STOT - repeated exposure			
No	Substance name		CAS no.	EC no.
1	titanium dioxide; [in powder form conta more of particles with aerodynamic diar µm]		13463-67-7	236-675-5
Rou	te of exposure	oral		
NOA	AEL	>	962	mg/kg bw/d
Spe	cies	rat		
Meth	nod	OECD 408		
Soul	rce	ECHA		
Eval	uation/classification	Based on av	ailable data, the class	ification criteria are not met.

Aspiration hazard	
No data available	

Symptoms related to the physical, chemical and toxicological characteristics

The product can cause skin and eye irritation.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Inhalation may lead to irritation of the respiratory tract.

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)
No data available

Toxicity to fish (chronic) No data available

Toxicity to Daphnia (acute) No data available

Toxicity to Daphnia	(chronic)
No data available	

Toxicity to algae (acute)

Trade name: FÜLLSPACHTEL

Product no.: LSP

Current version: 2.0.0, issued: 11.08.2021 Reglaced version: 1.0.0, issued: 25.02.2021 Region: GB

No	Substance name		CAS no.	EC no.	
1	titanium dioxide; [in powder form conta more of particles with aerodynamic diar µm]		13463-67-7	236-675-5	
EC5	50	>	100	mg/l	
Dura	ation of exposure		72	h	
Species		Pseudokirchr	eriella subcapitata		
Method		OECD 201			
Soul	rce	ECHA			

Toxicity to algae (chronic)	
No data available	

Bacteria toxicity				
No	Substance name	CAS no.		EC no.
1	titanium dioxide; [in powder form containing 1 % or 13463-67-7 236-675-5 more of particles with aerodynamic diameter ≤ 10 μm]			
EC5		>	1000	
Duration of exposure			3	h
Species		activated sludge		
Method		OECD 209		
Source		ECHA		

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information

Do not discharge into drains or waters and do not dispose of in public landfills.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Completely emptied packagings can be given for recycling. Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

Trade name: FÜLLSPACHTEL

Product no.: LSP

Current version: 2.0.0, issued: 11.08.2021 Reglaced version: 1.0.0, issued: 25.02.2021 Region: GB

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances subject to restriction as listed in Annex XVII of the REACH regulation (EC) 1907/2006.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Directive 2010/75/EU on industrial emissions (integrated pollution prevention and control)

VOC-value <20 g/

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H302 Harmful if swallowed. H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H351i Suspected of causing cancer by inhalation.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Trade name: FÜLLSPACHTEL

Product no.: LSP

Current version: 2.0.0, issued: 11.08.2021 Replaced version: 1.0.0, issued: 25.02.2021 Region: GB

Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 724630