Trade name: SCHWARZER BLOCKER SCHUTZLACK

Product no.: SBSL

Current version: 1.0.0, issued: 14.12.2023 Replaced version: -, issued: -Region:

GER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier 1.1

Trade name

SCHWARZER BLOCKER SCHUTZLACK

Relevant identified uses of the substance or mixture and uses advised against 1.2

Relevant identified uses of the substance or mixture

Chemical product for building, modernising and repairing.

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

LUGATO GmbH & Co. KG

Großer Kamp 1

D-22885 Barsbüttel

Telephone no. +49 (0)40 694 07-0 +49 (0)40 694 07-109 + 110 Fax no.

1.4 **Emergency telephone number**

No data available.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Flam. Liq. 3; H226 STOT SE 3: H336

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms





Signal word

Warning

Hazardous component(s) to be indicated on label:

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics

Hazard statement(s)

H226 Flammable liquid and vapour. H336 May cause drowsiness or dizziness.

Hazard statements (EU)

EUH066 Repeated exposure may cause skin dryness or cracking.

Precautionary statement(s)

Trade name: SCHWARZER BLOCKER SCHUTZLACK

Product no.: SBSL

Current version: 1.0.0, issued: 14.12.2023 Replaced version: -, issued: - Region:

GER

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P271 Use only outdoors or in a well-ventilated area.

P370+P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to

extinguish.

P501 Dispose of contents/container to a facility in accordance with local and national

regulations.

2.3 Other hazards

This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Chemical characterization

Preparation containing hazardous components given in the following list.

Hazardous ingredients

No	Substance name		Additional information			
	CAS / EC / Index / Classification (EC) 1272/2008 (CLP) Concentration		entration		%	
	REACH no					
1	ASPHALT, PETROL	EUM FUMES				
	8052-42-4	-	>=	50,00 - <	100,00	wt%
	232-490-9					
	-					
	01-2119480172-44					
2	Hydrocarbons, C9-	C11, n-alkanes, isoalkanes, cyclics, <2%				
	aromatics					
	64742-48-9	Asp. Tox. 1; H304	>=	25,00 - <	50,00	wt%
	919-857-5	EUH066				
	-	Flam. Liq. 3; H226				
	01-2119463258-33	STOT SE 3; H336				

Full Text for all H-phrases and EUH-phrases: pls. see section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air.

After skin contact

Wash off immediately with soap and water. Consult a doctor if skin irritation persists.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Get medical attention if pain still persists.

After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Call a doctor immediately. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

Trade name: SCHWARZER BLOCKER SCHUTZLACK

Product no.: SBSL

Current version: 1.0.0, issued: 14.12.2023 Replaced version: -, issued: -

GER

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Dry chemical extinguisher; Alcohol-resistant foam; Carbon dioxide; Water spray jet

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2)

5.3 Advice for firefighters

Cool endangered containers with water spray jet. Use self-contained breathing apparatus. Wear protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Keep away from ignition sources.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). When collected, handle material as described under the section heading "Disposal considerations".

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Provide good ventilation at the work area (local exhaust ventilation, if necessary). If workplace exposure limits are exceeded, respiratory protection approved for this particular job must be worn. Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Do not inhale vapours. Wash hands before breaks and after work.

Advice on protection against fire and explosion

Vapours can form an explosive mixture with air. Take precautionary measures against static charges. Keep away from sources of heat and ignition.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place. Protect from heat and direct sunlight.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Trade name: SCHWARZER BLOCKER SCHUTZLACK

Product no.: SBSL

Current version: 1.0.0, issued: 14.12.2023 Replaced version: -, issued: -

GER

Incompatible products

Do not store together with: oxidizing agents

Stoarge Class according TRGS 510

3 Flammable liquids

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

DNEL, DMEL and PNEC values

DNEL values (worker)

	BREE Values (Worker)						
No	Substance name	CAS / EC no					
	Route of exposure	Value					
1	Hydrocarbons, C9-C11, n-	64742-48-9 919-857-5					
	dermal	Long term (chronic)	systemic	77	mg/kg/day		
	inhalative	Long term (chronic)	systemic	871	mg/m³		

DNEL value (consumer)

No	Substance name	CAS / EC no			
	Route of exposure	Exposure time	Effect	Value	
1	Hydrocarbons, C9-C11, n-	64742-48-9			
				919-857-5	
	oral	Long term (chronic)	systemic	46	mg/kg/day
	dermal	Long term (chronic)	systemic	46	mg/kg/day
	inhalative	Long term (chronic)	systemic	185	mg/m³

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Respirator A2

Eye / face protection

Tightly fitting safety glasses (EN 166).

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material nitrile

Material thickness >= 0,4 mm

Other

Normal chemical work clothing.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

Trade name: SCHWARZER BLOCKER SCHUTZLACK

Product no.: SBSL

Region: GER Current version: 1.0.0, issued: 14.12.2023 Replaced version: -, issued: -

9.1 Information on basic physical and chemical properties

State of aggregation liquid			
Form			
viscous			
Colour			
black			
Odour			
characteristic			
pH value No data available			
Boiling point / boiling range			
Value		150	°C
Melting point/freezing point No data available			
Decomposition temperature No data available			
Flash point			
Value		42	°C
Ignition temperature			
Value	>	200	°C
Auto-ignition temperature			
Comments	Product is not self	fianitina.	
Confinents	1 Todast lo Hot col		
Explosive properties The product is not explosive. Formation of explo			pour mixtures is possible during/after use.
Explosive properties			pour mixtures is possible during/after use.
Explosive properties The product is not explosive. Formation of explo Flammability No data available			pour mixtures is possible during/after use.
Explosive properties The product is not explosive. Formation of explo Flammability			pour mixtures is possible during/after use.
Explosive properties The product is not explosive. Formation of explo Flammability No data available Lower explosion limit No data available Upper explosion limit			pour mixtures is possible during/after use.
Explosive properties The product is not explosive. Formation of explosive product p			pour mixtures is possible during/after use.
Explosive properties The product is not explosive. Formation of explosive product p		ole air-va	
Explosive properties The product is not explosive. Formation of explosive product p			pour mixtures is possible during/after use. hPa °C
Explosive properties The product is not explosive. Formation of explosive product is not explosive. Formation of explosive product is not explosive. Formation of explosive products and explosive products are explosive products and explosive products and explosive products are explosive products and explosive products are explosive products and explosive products and explosive products are explosive products and explosive products and explosive products are explosive products and explosive products and explosive products are explosive products and explosive products ar		ole air-var	hPa
Explosive properties The product is not explosive. Formation of explosive product is not explosive. Formation of explosive product is not explosive. Formation of explosive products and in the product of explosive products and in the product product products and in the product product products product product products product product products product products product product products product product products product product products product		ole air-var	hPa
Explosive properties The product is not explosive. Formation of explosive product is not explosive. Formation of explosive product is not explosive. Formation of explosive products and its product product products and its product products product product products product product products product produ		ole air-var	hPa
Explosive properties The product is not explosive. Formation of explosive product is not explosive. Formation of explosive product is not explosive. Formation of explosive products and in the product of explosive products and in the product products are products and in the product products and in the product product products and in the product product products are products and in the product product products and products are products are products and products are products and products are products and products are products and products are products are products and products are products are products and products are products are products and products are products and products are product		air-var	hPa °C
Explosive properties The product is not explosive. Formation of explosive product is not explosive. Formation of explosive product is not explosive. Formation of explosive products and product products and products product products products product product products product product product products product product products product pr		3 20 0,8696	hPa
Explosive properties The product is not explosive. Formation of explosive product is not explosive. Formation of explosive product is not explosive. Formation of explosive products and in the product of explosive products and in the product products are products and in the product products and in the product product products and in the product product products are products and in the product product products and products are products are products and products are products and products are products and products are products and products are products are products and products are products are products and products are products are products and products are products and products are product		air-var	hPa °C
Explosive properties The product is not explosive. Formation of explosive product is not explosive. Formation of explosive product is not explosive. Formation of explosive products and products are producted by the product		3 20 0,8696	hPa °C
Explosive properties The product is not explosive. Formation of explosive product is not explosive. Formation of explosive product is not explosive. Formation of explosive products and in the product of explosive products and in the product product products and in the product product products product product products product product products product pro		3 20 0,8696 4 20	hPa °C
Explosive properties The product is not explosive. Formation of explosive product is not explosive. Formation of explosive product is not explosive. Formation of explosive products and in the product of explosive products and in the product products are products and in the product products and in the product product products and products are products and in the product products and products are products and products and products are products are products and products are products are products and products are products are products and products are products and products are products are products and products are products are products are products and products are products and products are products are products and products are products are products are products and products are	psive/highly flammak	3 20 0,8696 4 20	hPa °C

Trade name: SCHWARZER BLOCKER SCHUTZLACK

Product no.: SBSL

Current version: 1.0.0, issued: 14.12.2023 Replaced version: -, issued: -Region:

GER

Partition coefficient n-octanol/water (log value)

No data available

Kinematic viscosity							
Value	70 sec						
Reference temperature	20 °C						
Туре	Efflux time						
	ISO cup 6 mm						

Solvent content		
Value	32,4	%

Particle characteristics	
No data available	

9.2 Other information

Other information
No data available.

SECTION 10: Stability and reactivity

Reactivity

No data available.

10.2 Chemical stability

No data available.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

10.5 Incompatible materials

No data available.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	Acute oral toxicity							
No	Substance name		CAS no.		EC no.			
1	Hydrocarbons, C9-C11, n-alkanes, isoalk	anes,	64742-48-9		919-857-5			
	cyclics, <2% aromatics							
LD5	0	>		5000	mg/kg bodyweight			
Spe	cies	rat						
Meth	nod	OECD 401						
Soul	rce	ECHA						

Acu	Acute dermal toxicity							
No	Substance name		CAS no.		EC no.			
1	Hydrocarbons, C9-C11, n-alkanes, isoalk	anes,	64742-48-9		919-857-5			
	cyclics, <2% aromatics							
LD5	0	>		2000	mg/kg bodyweight			
Spe	cies	rabbit						
Meth	nod	OECD 402						
Soul	rce	ECHA						

Acute inhalational toxicity	
No data available	

Trade name: SCHWARZER BLOCKER SCHUTZLACK

Product no.: SBSL

Current version: 1.0.0, issued: 14.12.2023 Replaced version: -, issued: -Region:

GER

Skir	Skin corrosion/irritation							
No	Substance name		CAS no.	EC no.				
1	Hydrocarbons, C9-C11, n-alkanes, isoalk cyclics, <2% aromatics	anes,	64742-48-9	919-857-5				
Spe Meth		rabbit OECD 404						
Sou Eval	rce luation	ECHA non-irritant						

Seri	Serious eye damage/irritation					
No	Substance name		CAS no.	EC no.		
1	Hydrocarbons, C9-C11, n-alkanes, isoalk	anes,	64742-48-9	919-857-5		
	cyclics, <2% aromatics					
Species		rabbit				
Meth	Method					
Soul	Source					
Eval	Evaluation					

Res	Respiratory or skin sensitisation						
No	Substance name		CAS no.	EC no.			
1	Hydrocarbons, C9-C11, n-alkanes, isoalk	anes,	64742-48-9	919-857-5			
	cyclics, <2% aromatics						
Rou	Route of exposure		Skin				
Spe	Species						
Method		OECD 406					
Soul	Source		ECHA				
Evaluation		non-sensitizir	ng				

Germ cell mutagenicity No data available

Reproduction toxicity No data available

Carcinogenicity No data available

STOT - single exposure No data available

STOT - repeated exposure No data available

Aspiration hazard No data available

Delayed and immediate effects as well as chronic effects from short and long-term exposure Inhalation of vapours may lead to headache, drowsiness and dizziness. Inhalation of vapours in higher concentration may lead to irritation of eyes, nose and respiratory tract. Repeated and prolonged skin contact may cause removal of

natural fat from the skin and irritation of the skin. Eye contact with the product may lead to irritation.

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxi	Toxicity to fish (acute)				
No	Substance name	CAS no.	EC no.		

Trade name: SCHWARZER BLOCKER SCHUTZLACK

Product no.: SBSL

Current version: 1.0.0, issued: 14.12.2023 Replaced version: -, issued: -Region:

GER

1 Hydrocarbons, C9-C11, n-alkanes, is cyclics, <2% aromatics	oalkanes,	64742-48-9		919-857-5
LL50	>		1000	mg/l
Duration of exposure			96	h
Species		v trout		
Method	OECD 2	203		
Source	ECHA			

Toxicity to fish (chronic)

No data available

Toxi	Toxicity to Daphnia (acute)						
No	Substance name		CAS no.		EC no.		
1	Hydrocarbons, C9-C11, n-alkanes, isoalk	anes,	64742-48-9		919-857-5		
	cyclics, <2% aromatics						
EL50	0	>		1000	mg/l		
Dura	ation of exposure			48	h		
Species		Daphnia mag	gna				
with reference to		WAF (water a	accommodated 1	fractions)			
Method		OECD 202					
Soul	rce	ECHA					

Toxicity to Daphnia (chronic)

No data available

Toxi	Toxicity to algae (acute)						
No	Substance name		CAS no.		EC no.		
1	Hydrocarbons, C9-C11, n-alkanes, isoalk	anes,	64742-48-9		919-857-5		
	cyclics, <2% aromatics						
EL50	0	>		1000	mg/	1	
Duration of exposure				72	h		
Species		Pseudokirchr	eriella subcapita	ata			
with reference to		WAF (water a	ccommodated f	ractions)			
Method		OECD 201					
Sour	rce	ECHA					

Toxicity to algae (chronic)

No data available

Bacteria toxicity

No data available

12.2 Persistence and degradability

Biod	Biodegradability					
No	Substance name		CAS no.	EC no.		
1	Hydrocarbons, C9-C11, n-alkanes, isoalk cyclics, <2% aromatics	anes,	64742-48-9	919-857-5		
Meth	Method		OECD 301 F			
Source		ECHA				
Evaluation		readily biode	gradable			

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

Trade name: SCHWARZER BLOCKER SCHUTZLACK

Product no.: SBSL

Current version: 1.0.0, issued: 14.12.2023 Replaced version: -, issued:
GER

No data available.

12.8 Other information

Other information

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Completely emptied packagings can be given for recycling. Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class 3
Classification code F1
Packing group III
Hazard identification no. 30
UN number UN1139

Proper shipping name COATING SOLUTION

Tunnel restriction code D/E

Label

Comments Containers with a capacity <= 450 ltrs are not subject to ADR-regulations (refer to

2.2.3.1.5.)

14.2 Transport IMDG

Class 3
Packing group III
UN number UN1139

Proper shipping name COATING SOLUTION

EmS F-E, S-E

Label 3

Comments Containers with a capacity <= 450 ltrs are not subjected to IMDG regulations,

chapter 4.1, 5.2 and 6.1 (see IMDG-Code 2.3.2.5)

14.3 Transport ICAO-TI / IATA

Class 3
Packing group III
UN number UN1139
Proper shipping name Coating solution

Label 3

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Trade name: SCHWARZER BLOCKER SCHUTZLACK

Product no.: SBSL

Current version: 1.0.0, issued: 14.12.2023 Replaced version: -, issued: -

GER

EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3, 40

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances This product is subject to Part I of Annex I, risk category: P5c

Directive 2010/75/EU on industrial emissions (integrated pollution prevention and control)					
VOC content	35,5 %				
VOC-value	308,7 g/l				

Other regulations

Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed.

National regulations

Water Hazard Class (Germany)

Class 1

Source Classification according to AwSV (Regulation on facilities for handling substances

that are hazardous to water).

Other regulations GISCODE: BBP 20

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H304 May be fatal if swallowed and enters airways.

Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Trade name: SCHWARZER BLOCKER SCHUTZLACK

Product no.: SBSL

 Current version : 1.0.0, issued: 14.12.2023
 Replaced version: -, issued: Region:

 GER

Prod-ID 20280