

# EU safety data sheet

**Trade name:** DISPERSIONSFLIESENKLEBSTOFFE

**Product no.:** DISPK

**Current version:** 2.0.0, Revision: 03.06.2026

**Replaced version:** 1.0.0, Revision: 13.12.2023

**Region:**  
GER

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Trade name**

**DISPERSIONSFLIESENKLEBSTOFFE  
DRAUF & SITZT  
FESTER HALT STYROPORKLEBER**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses of the substance or mixture**

Chemical product for building, modernising and repairing.

**Uses advised against**

No data available.

### 1.3 Details of the supplier of the safety data sheet

**Address**

LUGATO GmbH & Co. KG

Großer Kamp 1

D-22885 Barsbüttel

Telephone no. +49 (0)40 694 07-0

Fax no. +49 (0)40 694 07-109 + 110

**Advice on Safety Data Sheet**

sicherheit@lugato.de

### 1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification in accordance with Regulation (EC) No 1272/2008 (CLP)**

Skin Sens. 1; H317

**Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

### 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)**

**Hazard pictograms**



GHS07

**Signal word**

Warning

**Hazardous component(s) to be indicated on label:**

2-methyl-2H-isothiazol-3-one

**Hazard statement(s)**

# EU safety data sheet

**Trade name:** DISPERSIONSFLIESENKLEBSTOFFE

**Product no.:** DISPK

**Current version:** 2.0.0, Revision: 03.06.2026

**Replaced version:** 1.0.0, Revision: 13.12.2023

**Region:**  
GER

H317 May cause an allergic skin reaction.

## Hazard statements (EU)

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one (3:1). May produce an allergic reaction.

## Precautionary statement(s)

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P501 Dispose of contents/container to hazardous or special waste collection point.

## 2.3 Other hazards

This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

PBT assessment

The components of this product are not considered to be a PBT.

vPvB assessment

The components of this product are not considered to be a vPvB.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable. The product is not a substance.

### 3.2 Mixtures

#### Chemical characterization

Modified aqueous synthetic resin dispersion.

#### Hazardous ingredients

No	Substance name		Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	%
1	<b>1,2-benzisothiazol-3(2H)-one</b>			
	2634-33-5 220-120-9 613-088-00-6 -	Acute Tox. 4; H302 Skin Irrit. 2; H315 Skin Sens. 1A; H317 Eye Dam. 1; H318 Acute Tox. 2; H330 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	< 0,036	wt%
2	<b>2-methyl-2H-isothiazol-3-one</b>			
	2682-20-4 220-239-6 613-326-00-9 -	Acute Tox. 2; H330 Acute Tox. 3; H301 Acute Tox. 3; H311 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 Eye Dam. 1; H318 Skin Corr. 1B; H314 Skin Sens. 1A; H317	< 0,10	wt%
3	<b>reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one (3:1)</b>			
	55965-84-9 - 613-167-00-5 -	Acute Tox. 2; H310 Acute Tox. 2; H330 Acute Tox. 3; H301 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 Eye Dam. 1; H318 Skin Corr. 1C; H314 Skin Sens. 1A; H317	< 0,0015	wt%

# EU safety data sheet

**Trade name:** DISPERSIONSFLIESENKLEBSTOFFE

**Product no.:** DISPK

**Current version:** 2.0.0, Revision: 03.06.2026

**Replaced version:** 1.0.0, Revision: 13.12.2023

**Region:**  
GER

4	<b>2-(2-butoxyethoxy)ethyl acetate</b>			
	124-17-4 204-685-9 - -	-	< 2,50	wt%

Full text of H- and EUH-phrases, if not already mentioned in section 2.2: see section 16.

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	-	Skin Sens. 1A; H317: C $\geq$ 0,036%	M = 1	M = 1
2	-	Skin Sens. 1A; H317: C $\geq$ 0,0015%	M = 10	M = 1
3	B	Skin Sens. 1A; H317: C $\geq$ 0,0015% Eye Irrit. 2; H319: C $\geq$ 0,06% Skin Irrit. 2; H315: C $\geq$ 0,06% Skin Corr. 1C; H314: C $\geq$ 0,6% Eye Dam. 1; H318: C $\geq$ 0,6%	M = 100	M = 100

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

Acute toxicity estimate (ATE) values			
No	oral	dermal	inhalative
1	450 mg/kg bodyweight		

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes and launder thoroughly before reusing.

#### After inhalation

No special measures necessary.

#### After skin contact

Remove with a cloth or paper. Wash off immediately with soap and water.

#### After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

#### After ingestion

Seek medical advice immediately. Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

No data available.

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

#### Unsuitable extinguishing media

High power water jet

### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO<sub>2</sub>)

### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing.

## SECTION 6: Accidental release measures

# EU safety data sheet

**Trade name:** DISPERSIONSFLIESENKLEBSTOFFE

**Product no.:** DISPK

**Current version:** 2.0.0, Revision: 03.06.2026

**Replaced version:** 1.0.0, Revision: 13.12.2023

**Region:**  
GER

## 6.1 Personal precautions, protective equipment and emergency procedures

### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8.

### For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

## 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

## 6.3 Methods and material for containment and cleaning up

Collect mechanically. Send in suitable containers for recovery or disposal.

## 6.4 Reference to other sections

No data available.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Advice on safe handling

Ensure adequate ventilation. Refer to protective measures listed in section 8.

#### General protective and hygiene measures

Wash hands before breaks and after work.

#### Advice on protection against fire and explosion

No special measures necessary.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place. Keep from freezing.

#### Requirements for storage rooms and vessels

Store product in closed containers.

#### Incompatible products

None known

#### Storage Class according TRGS 510

10-13 Combustible and Non-combustible liquids and solids that cannot be assigned to storage class 1-8.

### 7.3 Specific end use(s)

No data available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limit values

No	Substance name	CAS no.	EC no.
1	2-(2-butoxyethoxy)ethyl acetate	124-17-4	204-685-9
	TRGS 900		
	2-(2-Butoxyethoxy)ethylacetat		
	WEL long-term (8-hr TWA reference period)	67	mg/m <sup>3</sup> 10 ml/m <sup>3</sup>
	Ceiling Limit	1,5(l)	
	Notes	Y	

### 8.2 Exposure controls

#### Appropriate engineering controls

No data available.

#### Personal protective equipment

#### Respiratory protection

# EU safety data sheet

**Trade name:** DISPERSIONSFLIESENKLEBSTOFFE

**Product no.:** DISPK

**Current version:** 2.0.0, Revision: 03.06.2026

**Replaced version:** 1.0.0, Revision: 13.12.2023

**Region:**  
GER

No special measures required.

**Eye / face protection**

No special measures required.

**Hand protection**

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material                      Nitrile impregnated protective gloves

**Other**

No special measures required.

**Environmental exposure controls**

No data available.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

<b>State of aggregation</b>	
liquid	
<b>Form</b>	
pasty	
<b>Colour</b>	
white	
<b>Odour</b>	
weak	
<b>pH value</b>	
Value	7,9 - 8,5
<b>Boiling point / boiling range</b>	
No data available	
<b>Melting point/freezing point</b>	
No data available	
<b>Decomposition temperature</b>	
No data available	
<b>Flash point</b>	
Not applicable	
<b>Ignition temperature</b>	
No data available	
<b>Flammability</b>	
No data available	
<b>Lower explosion limit</b>	
No data available	
<b>Upper explosion limit</b>	
No data available	
<b>Vapour pressure</b>	
No data available	
<b>Relative vapour density</b>	
No data available	
<b>Relative density</b>	

# EU safety data sheet

**Trade name:** DISPERSIONSFLIESENKLEBSTOFFE

**Product no.:** DISPK

**Current version:** 2.0.0, Revision: 03.06.2026

**Replaced version:** 1.0.0, Revision: 13.12.2023

**Region:**  
GER

No data available	
<b>Density</b>	
Value	1,590 - 1,665 g/cm <sup>3</sup>
<b>Solubility in water</b>	
Comments	miscible in all proportions
<b>Solubility</b>	
No data available	
<b>Partition coefficient n-octanol/water (log value)</b>	
No data available	
<b>Kinematic viscosity</b>	
No data available	
<b>Particle characteristics</b>	
No data available	

## 9.2 Other information

<b>Other information</b>
No data available.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available.

### 10.2 Chemical stability

No data available.

### 10.3 Possibility of hazardous reactions

No data available.

### 10.4 Conditions to avoid

No data available.

### 10.5 Incompatible materials

None known.

### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	1,2-benzisothiazol-3(2H)-one	2634-33-5	220-120-9
ATE		450	mg/kg bodyweight
Source		1272/2008/EC, Annex VI	
Acute dermal toxicity			
No data available			
Acute inhalational toxicity			
No	Substance name	CAS no.	EC no.
1	1,2-benzisothiazol-3(2H)-one	2634-33-5	220-120-9
ATE		0,21	mg/l
State of aggregation		Dust/mist	
Source		1272/2008/EC, Annex VI	
Skin corrosion/irritation			
No data available			

# EU safety data sheet

**Trade name:** DISPERSIONSFLIESENKLEBSTOFFE

**Product no.:** DISPK

**Current version:** 2.0.0, Revision: 03.06.2026

**Replaced version:** 1.0.0, Revision: 13.12.2023

**Region:**  
GER

## **Serious eye damage/irritation**

No data available

## **Respiratory or skin sensitisation**

No data available

## **Germ cell mutagenicity**

No data available

## **Reproduction toxicity**

No data available

## **Carcinogenicity**

No data available

## **STOT - single exposure**

No data available

## **STOT - repeated exposure**

No data available

## **Aspiration hazard**

No data available

## **11.2 Information on other hazards**

### **Endocrine disrupting properties**

No data available

#### **Other information**

By appropriate use of the product no health damage is known.

## **SECTION 12: Ecological information**

### **12.1 Toxicity**

#### **Toxicity to fish (acute)**

No data available

#### **Toxicity to fish (chronic)**

No data available

#### **Toxicity to Daphnia (acute)**

No data available

#### **Toxicity to Daphnia (chronic)**

No data available

#### **Toxicity to algae (acute)**

No data available

#### **Toxicity to algae (chronic)**

No data available

#### **Bacteria toxicity**

No data available

### **12.2 Persistence and degradability**

No data available.

### **12.3 Bioaccumulative potential**

No data available.

### **12.4 Mobility in soil**

No data available.

### **12.5 Results of PBT and vPvB assessment**

#### **Results of PBT and vPvB assessment**

# EU safety data sheet

**Trade name:** DISPERSIONSFLIESENKLEBSTOFFE

**Product no.:** DISPK

**Current version:** 2.0.0, Revision: 03.06.2026

**Replaced version:** 1.0.0, Revision: 13.12.2023

**Region:**  
GER

<b>Product Name</b>	
DISPERSIONSFLIESENKLEBSTOFFE DRAUF & SITZT FESTER HALT STYROPORKLEBER	
PBT assessment	The components of this product are not considered to be a PBT.
vPvB assessment	The components of this product are not considered to be a vPvB.

## 12.6 Endocrine disrupting properties

No data available.

## 12.7 Other adverse effects

No data available.

## 12.8 Other information

<b>Other information</b>
Do not discharge into drains or waters and do not dispose of in public landfills.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

#### Packaging

Completely emptied packagings can be given for recycling. Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company.

## SECTION 14: Transport information

### 14.1 UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

### 14.2 UN proper shipping name

Not classified as dangerous in the meaning of transport regulations.

### 14.3 Transport hazard class(es)

Not classified as dangerous in the meaning of transport regulations.

### 14.4 Packing group

Not classified as dangerous in the meaning of transport regulations.

### 14.5 Environmental hazards

Not classified as dangerous in the meaning of transport regulations.

### 14.6 Special precautions for user

No data available.

### 14.7 Maritime transport in bulk according to IMO instruments

Not relevant

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

<b>Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)</b>
According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

<b>REACH candidate list of substances of very high concern (SVHC) for authorisation</b>
---

# EU safety data sheet

**Trade name:** DISPERSIONSFLIESENKLEBSTOFFE

**Product no.:** DISPK

**Current version:** 2.0.0, Revision: 03.06.2026

**Replaced version:** 1.0.0, Revision: 13.12.2023

**Region:**  
GER

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

**Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES**

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	1,2-benzisothiazol-3(2H)-one	2634-33-5	220-120-9	75
2	2-methyl-2H-isothiazol-3-one	2682-20-4	220-239-6	75
3	potassium hydroxide	1310-58-3	215-181-3	75

**Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances**

This product is not subject to Part 1 or 2 of Annex I.

**Other regulations**

Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed.

**National regulations**

**Water Hazard Class (Germany)**

Class

1

Source

Classification according to AwSV (Regulation on facilities for handling substances that are hazardous to water).

## 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

## SECTION 16: Other information

**Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

**Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)**

EUH071	Corrosive to the respiratory tract.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

**Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

**Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)**

# EU safety data sheet

---

**Trade name:** DISPERSIONSFLIESENKLEBSTOFFE

**Product no.:** DISPK

**Current version:** 2.0.0, Revision: 03.06.2026

**Replaced version:** 1.0.0, Revision: 13.12.2023

**Region:**  
GER

---

B Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

## **Creation of the safety data sheet**

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

## **Alterations/supplements:**

Alterations to the previous edition are marked in the left-hand margin.

This document is an English translation of the legally compliant safety data sheet of the region Germany. This document, including UFI and emergency telephone number, may only be used for placing on the market in the region Germany.

Copyright-protected document. Any changes or reproductions require the express consent of UMCO GmbH.

Prod-ID 646465