Trade name: Zementprodukte:

Product no.: K-ZP

Current version: 4.0.0, issued: 09.11.2023 Region: 3.0.0, issued: 02.11.2023 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Zementprodukte:

SICHERHEITSKLEBER FLEXIBEL PLUS

FUGENGRAU

SICHERHEITSKLEBER

FLEXKLEBER

FLIESENKLEBER 410

FLEXKLEBER 420

TROCK'NER KELLER DICHTUNGSSCHLÄMME

FLEX-FLIESENKLEBER C2T

PROFI-FLEXKLEBER

FLIESENKLEBER

GROSSFORMATKLEBER WAND & BODEN

FLEXKLEBER XXL 470

FLEXKLEBER C2T

FLEXKLEBER 418

GROSSFORMATKLEBER

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Chemical product for building, modernising and repairing.

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

LUGATO GmbH & Co. KG

Großer Kamp 1

D-22885 Barsbüttel

Telephone no. +49 (0)40 694 07-0 Fax no. +49 (0)40 694 07-109 + 110

Information provided by / telephone

Department TS, telephone +49 40 694 07-222

e-mail: technik@lugato.de

Advice on Safety Data Sheet

technik@lugato.de

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Trade name: Zementprodukte:

Product no.: K-ZP

Current version: 4.0.0, issued: 09.11.2023 Region: 3.0.0, issued: 02.11.2023 Region: GB

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Eye Dam. 1; H318 Skin Irrit. 2; H315 STOT SE 3; H335

Classification information

Classification and labelling with respect to skin sensitization and/or respiratory sensitization are based on toxicological studies performed on the product (mixture).

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms





Signal word

Danger

Hazardous component(s) to be indicated on label:

Portland cement

Hazard statement(s)

H315 Causes skin irritation.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

Precautionary statement(s)

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P501 Dispose of contents/container to hazardous or special waste collection point.

Labelling information

These mixtures are considered to be low in chromate in accordance with EC-regulation 1907/2006, annex XVII (47). The proportion of water soluble chromate (VI) is below 2 ppm (mg/kg).

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Chemical characterization

Preparation containing hazardous components given in the following list.

Hazardous ingredients

No	Substance name	Substance name		
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Concentration	%
	REACH no			
1	Quartz (SiO2)			

Trade name: Zementprodukte:

Product no.: K-ZP

Current version: 4.0.0, issued: 09.11.2023 Region: 3.0.0, issued: 02.11.2023 Region: GB

	14808-60-7 238-878-4	-	>=	25.00 - <	50.00	wt%
	-					
2	Portland cement					
	65997-15-1	Eye Dam. 1; H318	>=	25.00 - <	50.00	wt%
	266-043-4	Skin Irrit. 2; H315				
	-	STOT SE 3; H335				
	-	Skin Sens. 1; H317				
3	Portland cement, F	lue dust				
	68475-76-3	Eye Dam. 1; H318	<	2.50		wt%
	270-659-9	Skin Irrit. 2; H315				
	-	STOT SE 3; H335				
	01-2119486767-17	Skin Sens. 1; H317				

Full Text for all H-phrases and EUH-phrases: pls. see section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

After inhalation

Ensure supply of fresh air.

After skin contact

In case of contact with skin wash off immediately with copious amounts of water.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

After ingestion

Rinse out mouth and give plenty of water to drink. Seek medical advice immediately. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

Unsuitable extinguishing media

No data available.

5.2 Special hazards arising from the substance or mixture

No data available.

5.3 Advice for firefighters

Cement reacts strongly alkaline with water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid dust formation.

For emergency responders

Trade name: Zementprodukte:

Product no.: K-ZP

Current version: 4.0.0, issued: 09.11.2023 Reglaced version: 3.0.0, issued: 02.11.2023 Region: GB

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Product sets hard together with water, Collect mechanically. Send in suitable containers for recovery or disposal.

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Ensure adequate ventilation. Transport only in closed packing containers. Before use stand sacks upright and separate head piece (cover sheet) cleanly by cutting open. Carefully fill the powder, according to the instructions, into mixing vessels containing water. Avoid the formation and deposition of dust. Refer to protective measures listed in section 8.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Wash hands before breaks and after work.

Advice on protection against fire and explosion

No special measures necessary.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Store in a dry place. Protect from atmospheric moisture and water.

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed.

Incompatible products

None known

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	Quartz (SiO2)	14808-60-7		238-878-4	
	2004/37/EC				
	Respirable crystalline silica dust				
	WEL long-term (8-hr TWA reference period)	0,1 (9)	mg/m³		
2	Portland cement	65997-15-1		266-043-4	
	List of approved workplace exposure limits (WELs) / EH40				
	Portland Cement				
	total inhalable dust				
	WEL long-term (8-hr TWA reference period)	10	mg/m³		
	List of approved workplace exposure limits (WELs) / E	EH40			
	Portland Cement				
	respirable dust	•			
	WEL long-term (8-hr TWA reference period)	4	mg/m³		

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Trade name: Zementprodukte:

Product no.: K-ZP

Current version: 4.0.0, issued: 09.11.2023 Reglaced version: 3.0.0, issued: 02.11.2023 Region: GB

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. Short term: filter apparatus, Filter P2

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material Nitrile impregnated protective gloves

Other

Light protective clothing

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation	- 1111 -
solid	
Form	
Powder	
Colour	
grey, white or coloured	
Odour	
odourless	
pH value	
Value	11.0 - 13.5
Reference temperature Comments	20 °C Saturated solution
	Saturated solution
Boiling point / boiling range No data available	
Melting point/freezing point Value	>= 1200 °C
	1200 0
Decomposition temperature No data available	
Flash point	
Not applicable	
Ignition temperature	
No data available	
Flammability	
No data available	
Lower explosion limit	
No data available	
Upper explosion limit	
No data available	
Vapour pressure	
No data available	

Trade name: Zementprodukte:

Product no.: K-ZP

Current version: 4.0.0, issued: 09.11.2023 Reglaced version: 3.0.0, issued: 02.11.2023 Region: GB

Deletine com demeite				
Relative vapour density No data available				
Relative density				
No data available				
Density				
Value	2.9	- 3.2	g/cm³	
Reference temperature		20	°C	
Bulk density				
Value	appr.	1100	kg/m³	
Solubility in water				
Value	appr.	1.5	g/l	
Reference temperature		20	°C	
Solubility				
No data available				
Partition coefficient n-octanol/water (le	og value)			
No data available				
Kinematic viscosity				
No data available	·	·	<u>-</u>	<u>-</u>
Particle characteristics				
No data available				

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

No data available.

Other information

Other information
No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

No data available.

10.5 Incompatible materials

None known.

Acute oral toxicity

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

No c	lata available						
Acu	Acute dermal toxicity						
No	Substance name		CAS no.		EC no.		
1	Portland cement, Flue dust		68475-76-3		270-659-9		
LD5	0	>		2000	mg/kg bodyweight		
Spec	cies	rabbit					
Meth	nod	OECD 402					

Trade name: Zementprodukte:

Product no.: K-ZP

Current version: 4.0.0, issued: 09.11.2023 Replaced version: 3.0.0, issued: 02.11.2023 Region: GB

Source	ECH/
--------	------

Acu	Acute inhalational toxicity					
No	Substance name		CAS no.		EC no.	
1	Portland cement, Flue dust		68475-76-3		270-659-9	
LC5	0	>		6.04	mg/l	
Dura	ation of exposure			4	h	
State	e of aggregation	Dust				
Spec	cies	rat				
Meth	nod	OECD 436				
Soul	rce	ECHA				

Skir	Skin corrosion/irritation					
No	Substance name		CAS no.	EC no.		
1	Portland cement, Flue dust		68475-76-3	270-659-9		
Meth	nod	OECD				
Soul	rce	ECHA				
Eval	luation	irritant				

Seri	Serious eye damage/irritation					
No	Substance name	CAS no.	EC no.			
1	Portland cement, Flue dust	68475-76-3	270-659-9			
Meth	nod	OECD 438				
Source		ECHA				
Eval	luation	Irreversible effects on the eye				

Res	piratory or skin sensitisation	
No	Product Name	
1	Zementprodukte:	
	SICHERHEITSKLEBER FLEXIBEL PLUS	
	FUGENGRAU	
	SICHERHEITSKLEBER	
	FLEXKLEBER	
	FLIESENKLEBER 410	
	FLEXKLEBER 420	
	TROCK'NER KELLER DICHTUNGSSCHL	AMME
	FLEX-FLIESENKLEBER C2T	
	PROFI-FLEXKLEBER	
	FLIESENKLEBER	
	GROSSFORMATKLEBER WAND & BODE	N
	FLEXKLEBER XXL 470	
	FLEXKLEBER C2T	
	FLEXKLEBER 418	
	GROSSFORMATKLEBER	
Rou	te of exposure	Skin
Eval	uation/classification	Based on available data, the classification criteria are not met.

Germ cell mutagenicity No data available

Rep	Reproduction toxicity					
No	Substance name	CAS no.		EC no.		
1	Portland cement, Flue dust	68475-76-3		270-659-9		
NOA	\EC		1010	mg/kg bw/d		
Metl	nod	OECD 422		-		
Sou	rce	ECHA				
Fval	uation/classification	Based on available data, the	- classificatio	on criteria are not met		

Carcinogenicity	
No data available	

STOT - single exposure	
No data available	

STOT - repeated exposure	

Trade name: Zementprodukte:

Product no.: K-ZP

Current version: 4.0.0, issued: 09.11.2023 Reglaced version: 3.0.0, issued: 02.11.2023 Region: GB

No data available

Aspiration hazard
No data available

Symptoms related to the physical, chemical and toxicological characteristics

The product can cause skin and eye irritation.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Inhalation may lead to irritation of the respiratory tract.

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxi	Toxicity to fish (acute)						
No	Substance name		CAS no.		EC no.		
1	Portland cement, Flue dust		68475-76-3		270-659-9	9	
LC5	0	>		11.1	m	g/l	
Dura	ation of exposure			96	h		
Species		Danio rerio					
Source		OECD 203					

Toxicity to fish (chronic)

No data available

Toxi	Toxicity to Daphnia (acute)						
No	Substance name	CAS i	no.	EC no.			
1	Portland cement, Flue dust	68475	5-76-3	270-659-9			
EL5	0	>	100	mg/l			
Dura	ation of exposure		48	h			
Spe	cies	Daphnia magna					
Meth	nod	OECD 202					
Soul	rce	ECHA					

Toxi	Toxicity to Daphnia (chronic)						
No	Substance name	CAS no.		EC no.			
1	Portland cement, Flue dust	68475-76-3		270-659-9			
NOE	EC		50	mg/l			
Spe	cies	Daphnia magna					
Method		OECD 211					
Soul	rce	ECHA					

Toxicity to algae (acute)							
No	Substance name	CAS no.		EC no.			
1	Portland cement, Flue dust	68475-76-3		270-659-9			
EC5	50		22.4	mg/l			
Dura	ation of exposure		72	h			
Spe	cies	Desmodesmus subspicatus					
Metl	hod	OECD 201					
Sou	rce	ECHA					

Toxicity to algae (chronic)	
No data available	

Bacteria toxicity	
No data available	

Trade name: Zementprodukte:

Product no.: K-ZP

Current version: 4.0.0, issued: 09.11.2023 Reglaced version: 3.0.0, issued: 02.11.2023 Region: GB

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information

Do not discharge into drains or waters and do not dispose of in public landfills

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Completely emptied packagings can be given for recycling. Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU regulations</u>

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

Trade name: Zementprodukte:

Product no.: K-ZP

Current version: 4.0.0, issued: 09.11.2023 Region: 3.0.0, issued: 02.11.2023 Region: GB

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

G	OX X V III.				
No	Substance name	CAS no.	EC no.	No	
1	Calcium carbonate	471-34-1	207-439-9	75	
2	titanium dioxide; [not containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7	236-675-5	75	

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H317 May cause an allergic skin reaction.

Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 20275