

# EU safety data sheet

**Trade name:** MATTES SILICON

**Product no.:** MSI-T

**Current version :** 1.0.0, issued: 10.12.2020

**Replaced version:** -, issued: -

**Region:** GB

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Trade name**

**MATTES SILICON**

**White**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses of the substance or mixture**

Chemical product for building, modernising and repairing.

**Uses advised against**

No data available.

### 1.3 Details of the supplier of the safety data sheet

**Address**

LUGATO GmbH & Co. KG

Großer Kamp 1

D-22885 Barsbüttel

Telephone no. +49 (0)40 694 07-0

Fax no. +49 (0)40 694 07-109 + 110

**Information provided by / telephone**

Department TS, telephone +49 40 694 07-222

e-mail: technik@lugato.de

**Advice on Safety Data Sheet**

technik@lugato.de

### 1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification in accordance with Regulation (EC) No 1272/2008 (CLP)**

Aquatic Chronic 3; H412

**Classification information**

Classification and labelling are based on toxicological studies performed on the product (mixture).

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

Classification and labelling with respect to water pollution risks are based on ecotoxicological studies performed on the product (mixture).

### 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)**

**Hazard pictograms**

-

**Signal word**

-

**Hazard statement(s)**

H412

Harmful to aquatic life with long lasting effects.

# EU safety data sheet

**Trade name:** MATTES SILICON

**Product no.:** MSI-T

**Current version :** 1.0.0, issued: 10.12.2020

**Replaced version:** -, issued: -

**Region:** GB

## Hazard statements (EU)

EUH208 Contains 4,5-dichloro-2-octyl-2H-isothiazol-3-one. May produce an allergic reaction.  
EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

## Precautionary statement(s)

P273 Avoid release to the environment.  
P501 Dispose of contents/container to a facility in accordance with local/regional/national/international regulations.

## 2.3 Other hazards

No data available.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable. The product is not a substance.

### 3.2 Mixtures

#### Chemical characterization

Permanently elastic joint sealant

#### Hazardous ingredients

No	Substance name	Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration %
1	<b>triacetoxymethylsilane</b>		
	17689-77-9 241-677-4 - 01-2119881778-15	Skin Corr. 1B; H314 EUH071	< 5.00 wt%
2	<b>4,5-dichloro-2-octyl-2H-isothiazol-3-one</b>		
	64359-81-5 264-843-8 - -	Acute Tox. 4; H302 Acute Tox. 2; H330 Aquatic Acute 1; H400 Skin Corr. 1B; H314 Skin Sens. 1A; H317 Aquatic Chronic 1; H410	< 0.10 wt%
3	<b>titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]</b>		
	13463-67-7 236-675-5 - 01-2119489379-17	-	< 2.50 wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
2	-	-	M = 100	M = 10

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

#### After inhalation

Ensure supply of fresh air.

#### After skin contact

Remove with a cloth or paper. Wash off immediately with soap and water.

#### After eye contact

# EU safety data sheet

**Trade name:** MATTES SILICON

**Product no.:** MSI-T

**Current version :** 1.0.0, issued: 10.12.2020

**Replaced version: -**, issued: -

**Region:** GB

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

**After ingestion**

Seek medical advice immediately. Never give anything by mouth to an unconscious person.

**4.2 Most important symptoms and effects, both acute and delayed**

No data available.

**4.3 Indication of any immediate medical attention and special treatment needed**

No data available.

## SECTION 5: Firefighting measures

**5.1 Extinguishing media**

**Suitable extinguishing media**

Foam; Extinguishing powder; Water spray jet; Carbon dioxide

**Unsuitable extinguishing media**

No data available.

**5.2 Special hazards arising from the substance or mixture**

None known.

**5.3 Advice for firefighters**

Use self-contained breathing apparatus. Wear protective clothing.

## SECTION 6: Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures**

**For non-emergency personnel**

Refer to protective measures listed in sections 7 and 8.

**For emergency responders**

No data available. Personal protective equipment (PPE) - see Section 8.

**6.2 Environmental precautions**

Do not discharge into the drains/surface waters/groundwater.

**6.3 Methods and material for containment and cleaning up**

Take up mechanically. Send in suitable containers for recovery or disposal.

**6.4 Reference to other sections**

No data available.

## SECTION 7: Handling and storage

**7.1 Precautions for safe handling**

**Advice on safe handling**

Ensure adequate ventilation. Refer to protective measures listed in section 8.

**General protective and hygiene measures**

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Wash hands before breaks and after work.

**Advice on protection against fire and explosion**

Keep away from sources of heat and ignition.

**7.2 Conditions for safe storage, including any incompatibilities**

**Technical measures and storage conditions**

Keep container tightly closed and dry in a cool, well-ventilated place.

**Requirements for storage rooms and vessels**

Store product in closed containers. Always keep in containers of same material as the original.

**Incompatible products**

# EU safety data sheet

**Trade name:** MATTES SILICON

**Product no.:** MSI-T

**Current version :** 1.0.0, issued: 10.12.2020

**Replaced version:** -, issued: -

**Region:** GB

Do not store together with: Acids; Alkalis; Alcohols

## 7.3 Specific end use(s)

No data available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limit values

No	Substance name	CAS no.	EC no.
1	titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7	236-675-5
<b>List of approved workplace exposure limits (WELs) / EH40</b>			
Titanium dioxide			
total inhalable dust			
	WEL long-term (8-hr TWA reference period)	10	mg/m <sup>3</sup>
<b>List of approved workplace exposure limits (WELs) / EH40</b>			
Titanium dioxide			
respirable dust			
	WEL long-term (8-hr TWA reference period)	4	mg/m <sup>3</sup>

#### DNEL, DMEL and PNEC values

##### DNEL values (worker)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	triacetoxymethylsilane			17689-77-9 241-677-4	
	inhalative	Short term (acute)	local	32.5	mg/m <sup>3</sup>
	inhalative	Long term (chronic)	local	32.5	mg/m <sup>3</sup>

##### DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	triacetoxymethylsilane			17689-77-9 241-677-4	
	inhalative	Short term (acute)	local	65	mg/m <sup>3</sup>
	inhalative	Long term (chronic)	local	10.8	mg/m <sup>3</sup>

##### PNEC values

No	Substance name		CAS / EC no	
	ecological compartment	Type	Value	
1	triacetoxymethylsilane		17689-77-9 241-677-4	
	water	fresh water	0.2	mg/L
	with reference to: silane triol (product of hydrolysis)			
	water	marine water	0.02	mg/L
	with reference to: silane triol (product of hydrolysis)			
	water	Aqua intermittent	1.7	mg/L
	with reference to: silane triol (product of hydrolysis)			
	water	fresh water sediment	0.16	mg/kg moist mass
	with reference to: silane triol (product of hydrolysis)			
	water	marine water sediment	0.016	mg/kg moist mass
	with reference to: silane triol (product of hydrolysis)			
	soil	-	0.031	mg/kg moist mass
	with reference to: silane triol (product of hydrolysis)			

# EU safety data sheet

**Trade name:** MATTES SILICON

**Product no.:** MSI-T

**Current version :** 1.0.0, issued: 10.12.2020

**Replaced version: -**, issued: -

**Region:** GB

sewage treatment plant	-	1	mg/L
------------------------	---	---	------

## 8.2 Exposure controls

### Appropriate engineering controls

No data available.

### Personal protective equipment

#### Respiratory protection

Not necessary, but do not inhale vapours.

#### Eye / face protection

Safety glasses with side protection shield (EN 166)

#### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material                      Nitrile impregnated protective gloves

#### Other

Light protective clothing

### Environmental exposure controls

No data available.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

<b>Form/Colour</b>
pasty various colour shades
<b>Odour</b>
pungent; acidic
<b>Odour threshold</b>
No data available
<b>pH value</b>
cannot be determined
<b>Boiling point / boiling range</b>
No data available
<b>Melting point/freezing point</b>
No data available
<b>Decomposition temperature</b>
No data available
<b>Flash point</b>
no data available
<b>Auto-ignition temperature</b>
No data available
<b>Oxidising properties</b>
No data available
<b>Explosive properties</b>
No data available
<b>Flammability</b>
No data available

# EU safety data sheet

Trade name: MATTES SILICON

Product no.: MSI-T

Current version : 1.0.0, issued: 10.12.2020

Replaced version: -, issued: -

Region: GB

<b>Lower explosion limit</b>	
No data available	
<b>Upper explosion limit</b>	
No data available	
<b>Vapour pressure</b>	
No data available	
<b>Relative vapour density</b>	
No data available	
<b>Evaporation rate</b>	
No data available	
<b>Relative density</b>	
No data available	
<b>Density</b>	
Value	1.03 g/cm <sup>3</sup>
Reference temperature	20 °C
<b>Solubility in water</b>	
Comments	insoluble
<b>Solubility</b>	
No data available	
<b>Partition coefficient n-octanol/water (log value)</b>	
No data available	
<b>Viscosity</b>	
Value	150 Pa*s
Type	dynamic
Comments	at a shear force of 20/s

## 9.2 Other information

<b>Other information</b>
No data available.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available.

### 10.2 Chemical stability

No data available.

### 10.3 Possibility of hazardous reactions

No data available.

### 10.4 Conditions to avoid

No data available.

### 10.5 Incompatible materials

Acids; Alkalies; Alcohols

### 10.6 Hazardous decomposition products

Under the action of moisture (atmospheric moisture) product splits off a small quantity of acetic acid.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

<b>Acute oral toxicity</b>
No data available

# EU safety data sheet

**Trade name:** MATTES SILICON

**Product no.:** MSI-T

**Current version :** 1.0.0, issued: 10.12.2020

**Replaced version:** -, issued: -

**Region:** GB

<b>Acute dermal toxicity</b>
No data available

<b>Acute inhalational toxicity</b>
No data available

<b>Skin corrosion/irritation</b>	
<b>No</b>	<b>Product Name</b>
1	MATTES SILICON White
Species	rabbit
Method	OECD 404
Source	ECHA
Comments	The study has indicated that the CAS No 17689-77-9 is not irritating if it is contained in a silicone material to about 5%.
Evaluation	non-irritant

<b>Serious eye damage/irritation</b>	
<b>No</b>	<b>Product Name</b>
1	MATTES SILICON White
Species	rabbit
Method	OECD 405
Source	ECHA
Comments	The study has indicated that the CAS No 17689-77-9 is not irritating if it is contained in a silicone material to about 5%.
Evaluation	non-irritant

<b>Respiratory or skin sensitisation</b>
No data available

<b>Germ cell mutagenicity</b>
No data available

<b>Reproduction toxicity</b>
No data available

<b>Carcinogenicity</b>
No data available

<b>STOT - single exposure</b>
No data available

<b>STOT - repeated exposure</b>
No data available

<b>Aspiration hazard</b>
No data available

<b>Delayed and immediate effects as well as chronic effects from short and long-term exposure</b>
Repeated and prolonged skin contact may cause removal of natural fat from the skin and irritation of the skin. Eye contact with the product may lead to irritation.

## SECTION 12: Ecological information

### 12.1 Toxicity

<b>Toxicity to fish (acute)</b>
No data available

<b>Toxicity to fish (chronic)</b>
No data available

<b>Toxicity to Daphnia (acute)</b>	
<b>No</b>	<b>Product Name</b>
1	MATTES SILICON

# EU safety data sheet

**Trade name:** MATTES SILICON

**Product no.:** MSI-T

**Current version :** 1.0.0, issued: 10.12.2020

**Replaced version:** -, issued: -

**Region:** GB

White			
EC50	10	- 100	mg/l
Duration of exposure		48	h
Species	Daphnia		
Method	OECD 202		
Source	Manufacturer		

#### Toxicity to Daphnia (chronic)

No data available

#### Toxicity to algae (acute)

No	Product Name		
1	MATTES SILICON White		
EC50	>	100	mg/l
Duration of exposure		72	h
Species	Algae		
Method	OECD 201		
Source	Manufacturer		

#### Toxicity to algae (chronic)

No data available

#### Bacteria toxicity

No data available

#### 12.2 Persistence and degradability

No data available.

#### 12.3 Bioaccumulative potential

No data available.

#### 12.4 Mobility in soil

No data available.

#### 12.5 Results of PBT and vPvB assessment

No data available.

#### 12.6 Other adverse effects

No data available.

#### 12.7 Other information

##### Other information

Do not discharge product unmonitored into the environment.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

##### Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

##### Packaging

Completely emptied packagings can be given for recycling. Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company.

### SECTION 14: Transport information

#### 14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

#### 14.2 Transport IMDG

The product is not subject to IMDG regulations.

#### 14.3 Transport ICAO-TI / IATA



# EU safety data sheet

**Trade name:** MATTES SILICON

**Product no.:** MSI-T

**Current version :** 1.0.0, issued: 10.12.2020

**Replaced version:** -, issued: -

**Region:** GB

The product is not subject to ICAO-TI / IATA regulations.

## 14.4 Other information

No data available.

## 14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

## 14.6 Special precautions for user

No data available.

## 14.7 Maritime transport in bulk according to IMO instruments

Not relevant

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

##### **Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

##### **REACH candidate list of substances of very high concern (SVHC) for authorisation**

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

##### **Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES**

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.	No 3
--	------

##### **Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances**

This product is not subject to Part 1 or 2 of Annex I.

##### **REGULATION (EU) No 528/2012 concerning the making available on the market and use of biocidal products**

4,5-dichloro-2-octyl-2H-isothiazol-3-one: 0.5 g / kg

### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

## SECTION 16: Other information

#### **Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

#### **Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)**

EUH071	Corrosive to the respiratory tract.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

#### **Creation of the safety data sheet**

# EU safety data sheet

---

**Trade name:** MATTES SILICON

**Product no.:** MSI-T

**Current version :** 1.0.0, issued: 10.12.2020

**Replaced version:** -, issued: -

**Region:** GB

---

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: [umco@umco.de](mailto:umco@umco.de)

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 770515