Trade name: MATTES SILICON

Product no.: MSI-T

Current version: 2.0.0, issued: 01.02.2022 Replaced version: 1.1.0, issued: 06.05.2021 Region: GB

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name

### **MATTES SILICON**

#### White

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses of the substance or mixture

Chemical product for building, modernising and repairing.

#### Uses advised against

No data available.

## 1.3 Details of the supplier of the safety data sheet

#### Address

LUGATO GmbH & Co. KG

Großer Kamp 1

D-22885 Barsbüttel

Telephone no. +49 (0)40 694 07-0

Fax no. +49 (0)40 694 07-109 + 110

#### Information provided by / telephone

Department TS, telephone +49 40 694 07-222

e-mail: technik@lugato.de

## **Advice on Safety Data Sheet**

technik@lugato.de

# 1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### **Classification information**

Classification and labelling are based on toxicological studies performed on the product (mixture).

Classification and labelling with respect to water pollution risks are based on ecotoxicological studies performed on the product (mixture).

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

This product does not meet the classification criteria given in the Regulation (EC) No 1272/2008 (CLP).

### 2.2 Label elements

### <u>Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)</u>

# **Hazard pictograms**

......

Signal word

Hazard statement(s)

...

## Hazard statements (EU)

EUH211

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe

Trade name: MATTES SILICON

Product no.: MSI-T

Current version: 2.0.0, issued: 01.02.2022 Replaced version: 1.1.0, issued: 06.05.2021 Region: GB

spray or mist.

EUH208 Contains 2-octyl-2H-isothiazol-3-one. May produce an allergic reaction.

Precautionary statement(s)

-

#### 2.3 Other hazards

No data available.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable. The product is not a substance.

### 3.2 Mixtures

#### **Chemical characterization**

Permanently elastic joint sealant

# **Hazardous ingredients**

	Hazardous ingredients				
No				onal information	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	entration	%
	REACH no				
1	triacetoxyethylsila	ne			
	17689-77-9	Skin Corr. 1B; H314	<	5.00	wt%
	241-677-4	EUH071			
	-				
	01-2119881778-15				
2	triacetoxyethylsila	ne			
	17689-77-9	EUH014	<	2.50	wt%
	241-677-4	Skin Corr. 1B; H314			
	-				
	-				
3	titanium dioxide; [i	in powder form containing 1 % or more of			
	particles with aero	dynamic diameter ≤ 10 μm]			
	13463-67-7	Carc. 2; H351i	<	2.50	wt%
	236-675-5				
	022-006-00-2				
	-				
4	octamethylcyclote	trasiloxane			
	556-67-2	Repr. 2; H361f***	<	0.10	wt%
	209-136-7	Aquatic Chronic 1; H410			
	014-018-00-1				
	-				
5	2-octyl-2H-isothiaz	ol-3-one			
	26530-20-1	Acute Tox. 3; H301	<	0.10	wt%
	247-761-7	Acute Tox. 3; H311			
	613-112-00-5	Skin Corr. 1; H314			
	-	Skin Sens. 1A; H317			
		Eye Dam. 1; H318			
		Acute Tox. 2; H330			
		Aquatic Chronic 1; H410			
		Aquatic Acute 1; H400			
		EUH071			

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(\*,\*\*,\*\*\*\*) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
3	V, W, 10	-	-	-
4	-	-	-	M = 10
5	-	Skin Sens. 1A; H317: C >= 0.0015%	M = 100	M = 100

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances

Trade name: MATTES SILICON

Product no.: MSI-T

Current version: 2.0.0, issued: 01.02.2022 Reglaced version: 1.1.0, issued: 06.05.2021 Region: GB

((EC) No 1272/2008, Annex VI)".

No	Route, target organ, concrete effect
3	H351i
	inhalational; -; -

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

#### After inhalation

Ensure supply of fresh air.

#### After skin contact

Remove with a cloth or paper. Wash off immediately with soap and water.

#### After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

#### After inaestion

Seek medical advice immediately. Never give anything by mouth to an unconscious person.

# 4.2 Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

# Suitable extinguishing media

Foam; Extinguishing powder; Water spray jet; Carbon dioxide

# Unsuitable extinguishing media

High power water jet

### 5.2 Special hazards arising from the substance or mixture

None known.

## 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8.

#### For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

#### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

### 6.3 Methods and material for containment and cleaning up

Collect mechanically. Send in suitable containers for recovery or disposal.

#### 6.4 Reference to other sections

No data available.

# **SECTION 7: Handling and storage**

Trade name: MATTES SILICON

Product no.: MSI-T

Current version: 2.0.0, issued: 01.02.2022 Replaced version: 1.1.0, issued: 06.05.2021 Region: GB

### 7.1 Precautions for safe handling

### Advice on safe handling

Ensure adequate ventilation. Refer to protective measures listed in section 8.

#### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Wash hands before breaks and after work.

## Advice on protection against fire and explosion

Keep away from sources of heat and ignition.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

#### Requirements for storage rooms and vessels

Store product in closed containers. Always keep in containers of same material as the original.

#### Incompatible products

Do not store together with: Acids; Alkalis; Alcohols

#### 7.3 Specific end use(s)

No data available.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

### Occupational exposure limit values

No	Substance name	CAS no.		EC no.
1	titanium dioxide; [in powder form containing 1 % or	13463-67-7		236-675-5
	more of particles with aerodynamic diameter ≤ 10			
	μm]			
	List of approved workplace exposure limits (WELs) /	EH40		
	Titanium dioxide			
	total inhalable dust			
	WEL long-term (8-hr TWA reference period)	10	mg/m³	
	List of approved workplace exposure limits (WELs) /	EH40		
	Titanium dioxide			
	respirable dust		•	
	WEL long-term (8-hr TWA reference period)	4	mg/m³	

# **DNEL, DMEL and PNEC values**

#### **DNEL** values (worker)

	DIVLE Values (WOIKEI)				
No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	triacetoxyethylsilane			17689-77-9 241-677-4	
	inhalative	Short term (acut)	local	32.5	mg/m³
	inhalative	Long term (chronic)	local	32.5	ma/m³

#### **DNEL** value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure		Effect	Value	
1	triacetoxyethylsilane		17689-77-9		
				241-677-4	
	inhalative	Short term (acut)	local	65	mg/m³
	inhalative	Long term (chronic)	local	10.8	mg/m³

#### **PNEC values**

No	Substance name		CAS / EC no
	ecological compartment	Туре	Value

Trade name: MATTES SILICON

Product no.: MSI-T

Current version: 2.0.0, issued: 01.02.2022 Replaced version: 1.1.0, issued: 06.05.2021 Region: GB

1	triacetoxyethylsilane		17689-77 241-677-4			
	water	fresh water	0.2	mg/L		
	with reference to: silane triol (product	of hydrolysis)				
	water	marine water	0.02	mg/L		
	with reference to: silane triol (product	of hydrolysis)				
	water	Aqua intermittent	1.7	mg/L		
	with reference to: silane triol (product of hydrolysis)					
	water	fresh water sediment	0.16	mg/kg moist mass		
	with reference to: silane triol (product	of hydrolysis)				
	water	marine water sediment	0.016	mg/kg moist mass		
	with reference to: silane triol (product	of hydrolysis)				
	soil	-	0.031	mg/kg moist mass		
with reference to: silane triol (product of hydrolysis)						
	sewage treatment plant	-	1	mg/L		

#### 8.2 Exposure controls

## Appropriate engineering controls

No data available.

#### Personal protective equipment

#### Respiratory protection

Not necessary, but do not inhale vapours.

#### Eye / face protection

Safety glasses with side protection shield (EN 166)

#### **Hand protection**

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material

Nitrile impregnated protective gloves

#### Other

Light protective clothing

### **Environmental exposure controls**

No data available.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

State of aggregation	
liquid	
Form/Colour	

Form/Colour
pasty
various colour shades

Odour	
pungent; acidic	

pH value
cannot be determined

Boiling point / boiling range	
No data available	

Trade name: MATTES SILICON

Product no.: MSI-T

Current version: 2.0.0, issued: 01.02.2022 Replaced version: 1.1.0, issued: 06.05.2021 Region: GB

Melting point/freezing point

No data available

**Decomposition temperature** 

No data available

Flash point

no data available

Ignition temperature

No data available

Flammability

No data available

Lower explosion limit

No data available

Upper explosion limit

No data available

Vapour pressure

No data available

Relative vapour density

No data available

Relative density

No data available

Density

Value 1.03 g/cm³ Reference temperature 20 °C

Solubility in water

Comments insoluble

Solubility

No data available

Partition coefficient n-octanol/water (log value)

No data available

ViscosityValue150 Pa\*s

Type dynamic
Comments at a shear force of 20/s

Particle characteristics

No data available

9.2 Other information

Other information

No data available.

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No data available.

## 10.2 Chemical stability

No data available.

# 10.3 Possibility of hazardous reactions

No data available.

#### 10.4 Conditions to avoid

No data available.

Trade name: MATTES SILICON

Product no.: MSI-T

Current version: 2.0.0, issued: 01.02.2022 Region: GB Replaced version: 1.1.0, issued: 06.05.2021

# 10.5 Incompatible materials

Acids; Alkalis; Alcohols

### 10.6 Hazardous decomposition products

Under the action of moisture (atmospheric moisture) product splits off a small quantity of acetic acid.

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity	
No data available	
Acute dermal toxicity	

# No data available

Acute inhalational toxicity
No data available

Skin	Skin corrosion/irritation		
No	Product Name		
1	MATTES SILICON		
	White		
Spec	cies	rabbit	
Meth	nod	OECD 404	
Soul	rce	ECHA	
Comments		The study has indicated that the CAS No 17689-77-9 is not irritating	
		if it is contained in a silicone material to about 5%.	
Eval	uation	non-irritant	

Seri	Serious eye damage/irritation	
No	lo Product Name	
1	MATTES SILICON	
	White	
Spe	cies	rabbit
Meth	nod	OECD 405
Soul	rce	ECHA
Com	nments	The study has indicated that the CAS No 17689-77-9 is not irritating
		if it is contained in a silicone material to about 5%.
Eval	uation	non-irritant

Res	Respiratory or skin sensitisation		
No	Product Name		
1	MATTES SILICON		
	White		
Rou	e of exposure	Skin	
Soul	ce	Manufacturer	
Eval	uation	non-sensitizing	
Eval	uation/classification	Based on available data, the classification criteria are not met.	

C	Germ cell mutagenicity
Ν	No data available

Reproduction toxicity
No data available

Carcinogenicity	
No data available	

OTOT : L
STOT - single exposure
No data available

STOT - repeated exposure	
No data available	

Trade name: MATTES SILICON

Product no.: MSI-T

Current version: 2.0.0, issued: 01.02.2022 Replaced version: 1.1.0, issued: 06.05.2021 Region: GB

## **Aspiration hazard**

No data available

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Repeated and prolonged skin contact may cause removal of natural fat from the skin and irritation of the skin. Eye contact with the product may lead to irritation.

### 11.2 Information on other hazards

## **Endocrine disrupting properties**

No data available.

#### Other information

No data available.

# **SECTION 12:** Ecological information

# 12.1 Toxicity

Tox	Toxicity to fish (acute)		
No	Product Name		
1	MATTES SILICON		
	White		
Sou	ce	Manufacturer	
Eval	uation/classification	Based on available data, the classification criteria are not met.	

Toxicity to fish (chronic)				
No	Product Name			
1	MATTES SILICON			
	White			
Source		Manufacturer		
Evaluation/classification		Based on available data, the classification criteria are not met.		

	Toxicity to Daphnia (acute)				
No	Product Name				
1	MATTES SILICON				
	White				
EC50		10	-	100	mg/l
Duration of exposure				48	h
Species		Daphnia			
Method		OECD 202			
Source		Manufacturer			

# Toxicity to Daphnia (chronic) No data available

Toxicity to algae (acute)				
No	Product Name			
1	1 MATTES SILICON			
	White			
EC50		>	100	mg/l
Duration of exposure			72	h
Species		Algae		
Method		OECD 201		
Source		Manufacturer		

Toxicity to algae (chronic)
No data available

Bacteria toxicity	
No data available	

# 12.2 Persistence and degradability

No data available.

Trade name: MATTES SILICON

Product no.: MSI-T

Current version: 2.0.0, issued: 01.02.2022 Replaced version: 1.1.0, issued: 06.05.2021 Region: GB

#### 12.3 Bioaccumulative potential

No data available.

#### 12.4 Mobility in soil

No data available.

#### 12.5 Results of PBT and vPvB assessment

No data available.

#### 12.6 Endocrine disrupting properties

No data available.

#### 12.7 Other adverse effects

No data available.

#### 12.8 Other information

### Other information

Do not discharge product unmonitored into the environment.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

#### **Packaging**

Completely emptied packagings can be given for recycling. Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company.

# **SECTION 14: Transport information**

## 14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

# 14.2 Transport IMDG

The product is not subject to IMDG regulations.

### 14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

#### 14.4 Other information

No data available.

#### 14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

#### 14.6 Special precautions for user

No data available.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not relevant

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

# Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

## REACH candidate list of substances of very high concern (SVHC) for authorisation

Trade name: MATTES SILICON

Product no.: MSI-T

Current version: 2.0.0, issued: 01.02.2022 Reglaced version: 1.1.0, issued: 06.05.2021 Region: GB

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

# Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	2-octyl-2H-isothiazol-3-one	26530-20-1	247-761-7	75
2	octamethylcyclotetrasiloxane	556-67-2	209-136-7	75
3	titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm]	13463-67-7	236-675-5	75

# Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

# REGULATION (EU) No 528/2012 concerning the making available on the market and use of biocidal products 4,5-dichloro-2-octyl-2H-isothiazol-3-one: 0.5 g / kg

#### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

### **SECTION 16: Other information**

#### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

# Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

EUH014 Reacts violently with water.
EUH071 Corrosive to the respiratory tract.
H301 Toxic if swallowed.
H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H330 Fatal if inhaled.

H351i Suspected of causing cancer by inhalation.

H361f Suspected of damaging fertility. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

# Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

If the substance is to be placed on the market as fibres (with diameter < 3 μm, length > 5 μm and aspect ratio ≥ 3:1) or particles of the substance fulfilling the WHO fibre criteria or

as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be

applied.

W It has been observed that the carcinogenic hazard of this substance arises when

respirable dust is inhaled in quantities leading to significant impairment of particle

clearance mechanisms in the lung.

This note aims to describe the particular toxicity of the substance; it does not constitute a

criterion for classification according to this Regulation.

1 The concentration stated or, in the absence of such concentrations, the generic

Trade name: MATTES SILICON

Product no.: MSI-T

Current version: 2.0.0, issued: 01.02.2022 Replaced version: 1.1.0, issued: 06.05.2021 Region: GB

concentrations of this Regulation (Table 3.1) or the generic concentrations of Directive 1999/45/EC (Table 3.2), are the percentages by weight of the metallic element calculated with reference to the total weight of the mixture.

### Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

#### Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 770515