

EU safety data sheet

Trade name: MATTES SILICON

Product no.: MSI

Current version : 2.1.0, issued: 09.03.2022

Replaced version: 2.0.0, issued: 01.02.2022

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

MATTES SILICON

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Chemical product for building, modernising and repairing.

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

LUGATO GmbH & Co. KG

Großer Kamp 1

D-22885 Barsbüttel

Telephone no. +49 (0)40 694 07-0

Fax no. +49 (0)40 694 07-109 + 110

Information provided by / telephone

Department TS, telephone +49 40 694 07-222

e-mail: technik@lugato.de

Advice on Safety Data Sheet

technik@lugato.de

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification information

This product does not meet the classification and labelling criteria given in the Regulation (EC) No 1272/2008 (CLP).

Classification and labelling are based on toxicological studies performed on the product (mixture).

Classification and labelling with respect to water pollution risks are based on ecotoxicological studies performed on the product (mixture).

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard statements (EU)

EUH208

Contains 2-octyl-2H-isothiazol-3-one. May produce an allergic reaction.

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Chemical characterization

Permanently elastic joint sealant

Hazardous ingredients

No	Substance name	Additional information	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Concentration %

EU safety data sheet

Trade name: MATTES SILICON

Product no.: MSI

Current version : 2.1.0, issued: 09.03.2022

Replaced version: 2.0.0, issued: 01.02.2022

Region: GB

	REACH no			
1	triacetoxymethylsilane			
	17689-77-9 241-677-4 - 01-2119881778-15	Skin Corr. 1B; H314 EUH071	< 5.00	wt%
2	octamethylcyclotetrasiloxane			
	556-67-2 209-136-7 014-018-00-1 -	Repr. 2; H361f*** Aquatic Chronic 1; H410	< 0.10	wt%
3	2-octyl-2H-isothiazol-3-one			
	26530-20-1 247-761-7 613-112-00-5 -	Acute Tox. 3; H301 Acute Tox. 3; H311 Skin Corr. 1; H314 Skin Sens. 1A; H317 Eye Dam. 1; H318 Acute Tox. 2; H330 Aquatic Chronic 1; H410 Aquatic Acute 1; H400 EUH071	< 0.10	wt%
4	Silicon dioxide (amorphous)			
	112945-52-5 231-545-4 - 01-2119379499-16	-	< 5.00	wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(* , ** , *** , ****) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
2	-	-	-	M = 10
3	-	Skin Sens. 1A; H317: C >= 0.0015%	M = 100	M = 100

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

After inhalation

Ensure supply of fresh air.

After skin contact

Remove with a cloth or paper. Wash off immediately with soap and water.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

After ingestion

Seek medical advice immediately. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

EU safety data sheet

Trade name: MATTES SILICON

Product no.: MSI

Current version : 2.1.0, issued: 09.03.2022

Replaced version: 2.0.0, issued: 01.02.2022

Region: GB

Suitable extinguishing media

Foam; Extinguishing powder; Water spray jet; Carbon dioxide

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

None known.

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Collect mechanically. Send in suitable containers for recovery or disposal.

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Ensure adequate ventilation. Refer to protective measures listed in section 8.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Wash hands before breaks and after work.

Advice on protection against fire and explosion

Keep away from sources of heat and ignition.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Store product in closed containers. Always keep in containers of same material as the original.

Incompatible products

Do not store together with: Acids; Alkalis; Alcohols

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.	EC no.
1	Silicon dioxide (amorphous)	112945-52-5	231-545-4
	List of approved workplace exposure limits (WELs) / EH40		
	Silica, amorphous inhalable dust		

EU safety data sheet

Trade name: MATTES SILICON

Product no.: MSI

Current version : 2.1.0, issued: 09.03.2022

Replaced version: 2.0.0, issued: 01.02.2022

Region: GB

	WEL long-term (8-hr TWA reference period)	6	mg/m ³
List of approved workplace exposure limits (WELs) / EH40			
Silica, amorphous respirable dust			
	WEL long-term (8-hr TWA reference period)	2.4	mg/m ³

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	triacetoxyethylsilane			17689-77-9 241-677-4	
	inhalative	Short term (acut)	local	32.5	mg/m ³
	inhalative	Long term (chronic)	local	32.5	mg/m ³

DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	triacetoxyethylsilane			17689-77-9 241-677-4	
	inhalative	Short term (acut)	local	65	mg/m ³
	inhalative	Long term (chronic)	local	10.8	mg/m ³

PNEC values

No	Substance name		CAS / EC no	
	ecological compartment	Type	Value	
1	triacetoxyethylsilane		17689-77-9 241-677-4	
	water	fresh water	0.2	mg/L
	with reference to: silane triol (product of hydrolysis)			
	water	marine water	0.02	mg/L
	with reference to: silane triol (product of hydrolysis)			
	water	Aqua intermittent	1.7	mg/L
	with reference to: silane triol (product of hydrolysis)			
	water	fresh water sediment	0.16	mg/kg moist mass
	with reference to: silane triol (product of hydrolysis)			
	water	marine water sediment	0.016	mg/kg moist mass
	with reference to: silane triol (product of hydrolysis)			
	soil	-	0.031	mg/kg moist mass
	with reference to: silane triol (product of hydrolysis)			
	sewage treatment plant	-	1	mg/L

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

Not necessary, but do not inhale vapours.

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid

EU safety data sheet

Trade name: MATTES SILICON

Product no.: MSI

Current version : 2.1.0, issued: 09.03.2022

Replaced version: 2.0.0, issued: 01.02.2022

Region: GB

permanent use of protective gloves.

Appropriate Material

Nitrile impregnated protective gloves

Other

Light protective clothing

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation	
liquid	
Form/Colour	
pasty	
various colour shades	
Odour	
pungent; acidic	
pH value	
cannot be determined	
Boiling point / boiling range	
No data available	
Melting point/freezing point	
No data available	
Decomposition temperature	
No data available	
Flash point	
no data available	
Ignition temperature	
No data available	
Flammability	
No data available	
Lower explosion limit	
No data available	
Upper explosion limit	
No data available	
Vapour pressure	
No data available	
Relative vapour density	
No data available	
Relative density	
No data available	
Density	
Value	1.03 g/cm ³
Reference temperature	20 °C
Solubility in water	
Comments	insoluble
Solubility	
No data available	

EU safety data sheet

Trade name: MATTES SILICON

Product no.: MSI

Current version : 2.1.0, issued: 09.03.2022

Replaced version: 2.0.0, issued: 01.02.2022

Region: GB

Partition coefficient n-octanol/water (log value)

No data available

Viscosity

Value	150	Pa*s
Type	dynamic	
Comments	at a shear force of 20/s	

Particle characteristics

No data available

9.2 Other information

Other information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

No data available.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

No data available.

10.5 Incompatible materials

Acids; Alkalis; Alcohols

10.6 Hazardous decomposition products

Under the action of moisture (atmospheric moisture) product splits off a small quantity of acetic acid.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

No data available

Acute dermal toxicity

No data available

Acute inhalational toxicity

No data available

Skin corrosion/irritation

No Product Name

1 MATTES SILICON

Species	rabbit
Method	OECD 404
Source	ECHA
Comments	The study has indicated that the CAS No 17689-77-9 is not irritating if it is contained in a silicone material to about 5%.
Evaluation	non-irritant

Serious eye damage/irritation

No Product Name

1 MATTES SILICON

Species	rabbit
Method	OECD 405
Source	ECHA
Comments	The study has indicated that the CAS No 17689-77-9 is not irritating

EU safety data sheet

Trade name: MATTES SILICON

Product no.: MSI

Current version : 2.1.0, issued: 09.03.2022

Replaced version: 2.0.0, issued: 01.02.2022

Region: GB

Evaluation	if it is contained in a silicone material to about 5%. non-irritant
------------	--

Respiratory or skin sensitisation	
No	Product Name
1	MATTES SILICON
Route of exposure	Skin
Source	Manufacturer
Evaluation	non-sensitizing
Evaluation/classification	Based on available data, the classification criteria are not met.

Germ cell mutagenicity
No data available

Reproduction toxicity
No data available

Carcinogenicity
No data available

STOT - single exposure
No data available

STOT - repeated exposure
No data available

Aspiration hazard
No data available

Delayed and immediate effects as well as chronic effects from short and long-term exposure
Repeated and prolonged skin contact may cause removal of natural fat from the skin and irritation of the skin. Eye contact with the product may lead to irritation.

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)	
No	Product Name
1	MATTES SILICON
Source	Manufacturer
Evaluation/classification	Based on available data, the classification criteria are not met.

Toxicity to fish (chronic)	
No	Product Name
1	MATTES SILICON
Source	Manufacturer
Evaluation/classification	Based on available data, the classification criteria are not met.

Toxicity to Daphnia (acute)	
No	Product Name
1	MATTES SILICON
EC50	10 - 100 mg/l
Duration of exposure	48 h
Species	Daphnia
Method	OECD 202
Source	Manufacturer

EU safety data sheet

Trade name: MATTES SILICON

Product no.: MSI

Current version : 2.1.0, issued: 09.03.2022

Replaced version: 2.0.0, issued: 01.02.2022

Region: GB

Toxicity to Daphnia (chronic)

No data available

Toxicity to algae (acute)

No | **Product Name**

1 | MATTES SILICON

EC50	>	100	mg/l
Duration of exposure		72	h
Species	Algae		
Method	OECD 201		
Source	Manufacturer		

Toxicity to algae (chronic)

No data available

Bacteria toxicity

No data available

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Completely emptied packagings can be given for recycling. Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

14.4 Other information

No data available.

14.5 Environmental hazards

EU safety data sheet

Trade name: MATTES SILICON

Product no.: MSI

Current version : 2.1.0, issued: 09.03.2022

Replaced version: 2.0.0, issued: 01.02.2022

Region: GB

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	2-octyl-2H-isothiazol-3-one	26530-20-1	247-761-7	75
2	octamethylcyclotetrasiloxane	556-67-2	209-136-7	75

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

REGULATION (EU) No 528/2012 concerning the making available on the market and use of biocidal products

4,5-dichloro-2-octyl-2H-isothiazol-3-one: 0.5 g / kg

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

EUH071	Corrosive to the respiratory tract.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H361f	Suspected of damaging fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Creation of the safety data sheet

EU safety data sheet

Trade name: MATTES SILICON

Product no.: MSI

Current version : 2.1.0, issued: 09.03.2022

Replaced version: 2.0.0, issued: 01.02.2022

Region: GB

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 758658