Trade name: SCHWARZER BLOCKER VORANSTRICH

Product no.: SBV

Current version: 1.0.0, issued: 14.12.2023 Replaced version: -, issued: -Region:

GER

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier** 1.1

Trade name

#### SCHWARZER BLOCKER VORANSTRICH

#### Relevant identified uses of the substance or mixture and uses advised against 1.2

#### Relevant identified uses of the substance or mixture

Chemical product for building, modernising and repairing.

#### Uses advised against

No data available.

#### 1.3 Details of the supplier of the safety data sheet

1.4

LUGATO GmbH & Co. KG

Großer Kamp 1

D-22885 Barsbüttel

Telephone no. +49 (0)40 694 07-0 +49 (0)40 694 07-109 + 110 Fax no.

## **Emergency telephone number**

No data available.

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Flam. Liq. 3; H226 STOT SE 3: H336

### **Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

#### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

#### **Hazard pictograms**







Signal word

Warning

#### Hazardous component(s) to be indicated on label:

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics

Hazard statement(s)

H226 Flammable liquid and vapour. H336 May cause drowsiness or dizziness.

Hazard statements (EU)

**EUH066** Repeated exposure may cause skin dryness or cracking.

Precautionary statement(s)

Trade name: SCHWARZER BLOCKER VORANSTRICH

Product no.: SBV

Current version: 1.0.0, issued: 14.12.2023 Replaced version: -, issued: -

GER

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P271 Use only outdoors or in a well-ventilated area.

P370+P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to

extinguish.

P501 Dispose of contents/container to hazardous or special waste collection point.

#### 2.3 Other hazards

No data available.

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable. The product is not a substance.

#### 3.2 Mixtures

#### **Chemical characterization**

Preparation containing hazardous components given in the following list.

#### **Hazardous ingredients**

No	Substance name		Additional information			
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	entration		%
	REACH no					
1	<b>ASPHALT, PETROL</b>	EUM FUMES				
	8052-42-4	-	>=	50,00 - <	70,00	wt%
	232-490-9					
	-					
	01-2119480172-44					
2	Hydrocarbons, C9-	C11, n-alkanes, isoalkanes, cyclics, <2%				
	aromatics					
	64742-48-9	Asp. Tox. 1; H304	>=	25,00 - <	50,00	wt%
	919-857-5	EUH066				
	-	Flam. Liq. 3; H226				
	-	STOT SE 3; H336				

Full Text for all H-phrases and EUH-phrases: pls. see section 16

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General information**

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

#### After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air. In case of persisting adverse effects consult a physician.

#### After skin contact

Wash off immediately with soap and water. Consult a doctor if skin irritation persists.

#### After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Seek medical assistance.

#### After ingestion

Do not induce vomiting. Call a doctor immediately. Never give anything by mouth to an unconscious person.

#### 4.2 Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

Trade name: SCHWARZER BLOCKER VORANSTRICH

Product no.: SBV

Current version: 1.0.0, issued: 14.12.2023 Replaced version: -, issued: -

GER

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Dry chemical extinguisher; Foam; Carbon dioxide; Water spray jet

#### Unsuitable extinguishing media

High power water jet

### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2)

#### 5.3 Advice for firefighters

Cool endangered containers with water spray jet. Use self-contained breathing apparatus. Wear protective clothing. Run-off water from fire fighting must not be discharged into drains or enter surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Keep away from ignition sources.

#### For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

#### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

#### 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). When collected, handle material as described under the section heading "Disposal considerations".

#### 6.4 Reference to other sections

No data available.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

#### Advice on safe handling

Provide good ventilation at the work area (local exhaust ventilation, if necessary). If workplace exposure limits are exceeded, respiratory protection approved for this particular job must be worn. Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

#### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Do not inhale vapours. Wash hands before breaks and after work.

#### Advice on protection against fire and explosion

Vapours can form an explosive mixture with air. Take precautionary measures against static charges. Keep away from sources of heat and ignition.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place. Protect from heat and direct sunlight.

#### Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

#### Incompatible products

Do not store together with oxidizing agents.

Trade name: SCHWARZER BLOCKER VORANSTRICH

Product no.: SBV

Current version: 1.0.0, issued: 14.12.2023 Replaced version: -, issued: -

GER

#### Stoarge Class according TRGS 510

3 Flammable liquids

#### 7.3 Specific end use(s)

No data available.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

No parameters available for monitoring.

#### 8.2 Exposure controls

#### Appropriate engineering controls

No data available.

#### Personal protective equipment

#### Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Respirator A/P

#### Eye / face protection

Safety glasses with side protection shield (EN 166)

#### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material nitrile

Material thickness >= 0,4 mm

#### Other

Normal chemical work clothing.

### **Environmental exposure controls**

No data available.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

state of aggregation	
quid	
form	
quid	
Colour Jack	
lack	

Odour		
characteristic		

pH value		
No data available		

Boiling point / boiling range			
Value	150	°C	
Source	manufacturer		

Melting point/freezing point	
No data available	

Trade name: SCHWARZER BLOCKER VORANSTRICH

Product no.: SBV

Region: GER **Current version :** 1.0.0, issued: 14.12.2023 Replaced version: -, issued: -

Decomposition temperature  No data available		
Flash point Value	42 °C	
Source	manufacturer	
Ignition temperature		
Value	> 200 °C	
Source	manufacturer	
Auto-ignition temperature		
Comments	Product is not selfigniting (EG A.16)	_
Explosive properties		
The product is not explosive. Format	tion of explosive/highly flammable air-vapour mixtures is pos	sible during/after use.
Flammability		
No data available		
Lower explosion limit		
No data available		
Upper explosion limit		
No data available		
Vapour pressure		
No data available		
Relative vapour density		
No data available		
Relative density		
No data available		
Density		
Value	0,8696 g/cm <sup>3</sup>	
Reference temperature	20 °C	
Solubility in water		
Comments	Not miscible or difficult to mix	
Solubility		
No data available		
Partition coefficient n-octanol/wat	er (log value)	
No data available		
Kinematic viscosity		
Value	30 sec	
Reference temperature	20 °C	
Method Source	ISO cup 6 mm manufacturer	
	тапамомо	
Value	32,4 %	
	32,4 70	
Particle characteristics		
No data available		

#### 9.2 Other information

Other information	
No data available.	

## SECTION 10: Stability and reactivity

Trade name: SCHWARZER BLOCKER VORANSTRICH

Product no.: SBV

Current version: 1.0.0, issued: 14.12.2023 Replaced version: -, issued: -

GER

#### 10.1 Reactivity

No data available.

#### 10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

#### 10.3 Possibility of hazardous reactions

Stable under recommended storage and handling conditions (See section 7).

#### 10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

#### 10.5 Incompatible materials

Oxidizing agents

#### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute oral toxicity

No data available

#### **Acute dermal toxicity**

No data available

#### Acute inhalational toxicity

No data available

#### Skin corrosion/irritation

No data available

#### Serious eye damage/irritation

No data available

#### Respiratory or skin sensitisation

No data available

#### Germ cell mutagenicity

No data available

#### Reproduction toxicity

No data available

#### Carcinogenicity

No data available

#### STOT - single exposure

No data available

#### STOT - repeated exposure

No data available

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Inhalation of vapours may lead to headache, drowsiness and dizziness. Inhalation of vapours in higher concentration may lead to irritation of eyes, nose and respiratory tract. Repeated and prolonged skin contact may cause removal of natural fat from the skin and irritation of the skin. Eye contact with the product may lead to irritation.

#### 11.2 Information on other hazards

**Endocrine disrupting properties** 

Trade name: SCHWARZER BLOCKER VORANSTRICH

Product no.: SBV

Current version: 1.0.0, issued: 14.12.2023 Replaced version: -, issued: -

GER

Pursuant to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605, the product does not contain any endocrine disruptors in a concentration of 0.1% weight by weight and above.

#### Other information

No data available.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### Toxicity to fish (acute)

No data available

#### Toxicity to fish (chronic)

No data available

#### **Toxicity to Daphnia (acute)**

No data available

#### Toxicity to Daphnia (chronic)

No data available

#### Toxicity to algae (acute)

No data available

#### Toxicity to algae (chronic)

No data available

#### **Bacteria toxicity**

No data available

#### 12.2 Persistence and degradability

No data available.

#### 12.3 Bioaccumulative potential

No data available.

#### 12.4 Mobility in soil

No data available.

#### 12.5 Results of PBT and vPvB assessment

No data available.

#### 12.6 Endocrine disrupting properties

No data available.

#### 12.7 Other adverse effects

No data available.

#### 12.8 Other information

#### Other information

Do not discharge product unmonitored into the environment.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

#### **Packaging**

Completely emptied packagings can be given for recycling. Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company.

### **SECTION 14: Transport information**

Trade name: SCHWARZER BLOCKER VORANSTRICH

Product no.: SBV

Current version: 1.0.0, issued: 14.12.2023 Replaced version: -, issued: -

GER

#### 14.1 Transport ADR/RID/ADN

Class 3
Classification code F1
Packing group III
Hazard identification no. 30
UN number UN1139

Proper shipping name COATING SOLUTION

Tunnel restriction code D/E Label 3

Environmentally hazardous Symbol "fish and tree"

substance mark

#### 14.2 Transport IMDG

Class 3
Packing group III
UN number UN1139

Proper shipping name COATING SOLUTION

EmS F-E, S-E

Label 3

Marine pollutant mark Symbol "fish and tree"

#### 14.3 Transport ICAO-TI / IATA

Class 3
Packing group III
UN number UN1139
Proper shipping name Coating solution

Label 3

#### 14.4 Other information

No data available.

#### 14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

#### 14.6 Special precautions for user

No data available.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not relevant

#### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU regulations</u>

### Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

#### REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

# Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3, 40

#### Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is subject to Part I of Annex I, risk category:

P5c

#### Directive 2010/75/EU on industrial emissions (integrated pollution prevention and control)

Trade name: SCHWARZER BLOCKER VORANSTRICH

Product no.: SBV

Current version: 1.0.0, issued: 14.12.2023 Replaced version: -, issued: -

GER

VOC content	38,5	%
VOC-value	334,8	g/l

#### Other regulations

Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed.

#### **National regulations**

#### Water Hazard Class (Germany)

Class

Source Classification according to AwSV (Regulation on facilities for handling substances

that are hazardous to water).

Other regulations

GISCODE: BBP30 bitumen compounds, low in aromatics, high in solvents

#### 15.2 Chemical safety assessment

No data available.

#### **SECTION 16: Other information**

#### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

# Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H304 May be fatal if swallowed and enters airways.

#### Creation of the safety data sheet

**UMCO GmbH** 

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 20282