Trade name: SCHIMMEL-STOPPER-SILICON

Product no.: SISI-T

Current version: 1.0.1, issued: 15.10.2024 Replaced version: 1.0.0, issued: 14.12.2023 Region: GER

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name

### SCHIMMEL-STOPPER-SILICON

### Weiß

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

### Relevant identified uses of the substance or mixture

Chemical product for building, modernising and repairing.

### Uses advised against

No data available.

### 1.3 Details of the supplier of the safety data sheet

#### **Address**

LUGATO GmbH & Co. KG

Großer Kamp 1

D-22885 Barsbüttel

Telephone no. +49 (0)40 694 07-0

Fax no. +49 (0)40 694 07-109 + 110

### **Advice on Safety Data Sheet**

sicherheit@lugato.de

### 1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### **Classification information**

Classification and labelling with respect to corrosivity and irritation to skin are based on toxicological studies performed on the product (mixture).

Classification and labelling with respect to Serious eye damage/eye irritation are based on toxicological studies performed on the product (mixture).

Classification and labelling with respect to skin sensitization and/or respiratory sensitization are based on toxicological studies performed on the product (mixture).

Classification and labelling with respect to water pollution risks are based on ecotoxicological studies performed on the product (mixture).

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

This product does not meet the classification criteria given in the Regulation (EC) No 1272/2008 (CLP).

### 2.2 Label elements

### <u>Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)</u>

**Hazard pictograms** 

Signal word

-

Hazard statement(s)

-

Hazard statements (EU)

Trade name: SCHIMMEL-STOPPER-SILICON

Product no.: SISI-T

Current version: 1.0.1, issued: 15.10.2024 Replaced version: 1.0.0, issued: 14.12.2023 Region: GER

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe

spray or mist.

EUH208 Contains 2-octyl-2H-isothiazol-3-one. May produce an allergic reaction.

Precautionary statement(s)

\_

### 2.3 Other hazards

No data available.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable. The product is not a substance.

### 3.2 Mixtures

### **Chemical characterization**

Permanently elastic joint sealant

**Hazardous ingredients** 

No	Substance name Additional information				
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conc	entration	%
	REACH no				
1	triacetoxyethylsilar				
	17689-77-9	Skin Corr. 1B; H314	<	5,00	wt%
	241-677-4	EUH071			
	-				
	01-2119881778-15				
2		n powder form containing 1 % or more of			
		dynamic diameter ≤ 10 μm]			
	13463-67-7	Carc. 2; H351i	<	2,50	wt%
	236-675-5				
	022-006-00-2				
3	-	manila ware			
<b>ა</b>	octamethylcyclotet		<	0.40	wt%
	209-136-7	Repr. 2; H361f*** Aquatic Chronic 1; H410		0,10	W1%
	014-018-00-1	Aquatic Chronic 1, F1410			
	-				
4	2-octyl-2H-isothiaz	ol-3-one			
	26530-20-1	Acute Tox. 3; H301	<	0,10	wt%
	247-761-7	Acute Tox. 3; H311			
	613-112-00-5	Skin Corr. 1; H314			
	-	Skin Sens. 1A; H317			
		Eye Dam. 1; H318			
		Acute Tox. 2; H330			
		Aquatic Chronic 1; H410			
		Aquatic Acute 1; H400			
_		EUH071			
5	Silicon dioxide (am	orphous)			
	112945-52-5	-	>=	10,00 - < 2	25,00 wt%
	231-545-4				
	-				
	01-2119379499-16				

Full text of H- and EUH-phrases, if not already mentioned in section 2.2: see section 16. (\*,\*\*,\*\*\*\*,\*\*\*\*\*) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
2	V, W, 10	-	-	-
3	-	-	-	M = 10
4	-	Skin Sens. 1A; H317: C >= 0,0015%	M = 100	M = 100

Trade name: SCHIMMEL-STOPPER-SILICON

Product no.: SISI-T

Current version: 1.0.1, issued: 15.10.2024 Replaced version: 1.0.0, issued: 14.12.2023 Region: GER

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

No	Route, target organ, concrete effect
2	H351i
	inhalational; -; -

# **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

### **General information**

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

### After inhalation

Ensure supply of fresh air.

#### After skin contact

Remove with a cloth or paper. Wash off immediately with soap and water.

### After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

### After ingestion

Seek medical advice immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

No data available.

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

### Suitable extinguishing media

Foam; Extinguishing powder; Water spray jet; Carbon dioxide

### Unsuitable extinguishing media

No data available.

## 5.2 Special hazards arising from the substance or mixture

None known.

### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing.

## **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8.

### For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

### 6.3 Methods and material for containment and cleaning up

Collect mechanically. Send in suitable containers for recovery or disposal.

### 6.4 Reference to other sections

No data available.

Trade name: SCHIMMEL-STOPPER-SILICON

Product no.: SISI-T

Current version: 1.0.1, issued: 15.10.2024 Replaced version: 1.0.0, issued: 14.12.2023 Region: GER

## **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

### Advice on safe handling

Ensure adequate ventilation. Refer to protective measures listed in section 8.

### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Wash hands before breaks and after work.

### Advice on protection against fire and explosion

Keep away from sources of heat and ignition.

### 7.2 Conditions for safe storage, including any incompatibilities

### Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

### Requirements for storage rooms and vessels

Store product in closed containers. Always keep in containers of same material as the original.

### Incompatible products

Do not store together with: Acids; Alkalis; Alcohols

### Stoarge Class according TRGS 510

12 Non-combustible liquids that cannot be assigned to any of the above storage classes

## 7.3 Specific end use(s)

No data available.

## **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

### Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	Silicon dioxide (amorphous)	112945-52-5	112945-52-5		
	TRGS 900				
	Kieselsäuren, amorphe				
	WEL long-term (8-hr TWA reference period)	1 E	mg/m³		
	Notes	Y, 2			

### **DNEL, DMEL and PNEC values**

### **DNEL** values (worker)

No	Substance name			CAS / EC no	
	Route of exposure			Value	
1	triacetoxyethylsilane			17689-77-9	
	, ,				
	inhalative	Short term (acut)	local	32,5	mg/m³
	inhalative	Long term (chronic)	local	32,5	mg/m³

### **DNEL value (consumer)**

No	Substance name			CAS / EC no	
	Route of exposure		Value		
1	triacetoxyethylsilane			17689-77-9	
				241-677-4	
	inhalative	Long term (chronic)	local	6,5	mg/m³

### **PNEC values**

No	Substance name		CAS / EC no	
	ecological compartment	Туре	Value	
1	triacetoxyethylsilane		17689-77-9	
			241-677-4	
	water	fresh water	0,2	mg/L

Trade name: SCHIMMEL-STOPPER-SILICON

Product no.: SISI-T

Current version: 1.0.1, issued: 15.10.2024 Replaced version: 1.0.0, issued: 14.12.2023 Region: GER

	ol (product of hydrolysis)	0.00	m a /l	
water	marine water	0,02	mg/L	
with reference to: silane tri	ol (product of hydrolysis)			
water	fresh water sediment	0,74	mg/kg moist	
			mass	
with reference to: silane tri	ol (product of hydrolysis)	•		
water	marine water sediment	0.074	mg/kg moist	
		,	mass	
with reference to: silane triol (product of hydrolysis)				
soil	-	0,031	mg/kg dry	
		,	weight	
sewage treatment plant	_	1	mg/L	

#### 8.2 **Exposure controls**

### Appropriate engineering controls

No data available.

### Personal protective equipment

### Respiratory protection

Not necessary, but do not inhale vapours.

### Eye / face protection

Safety glasses with side protection shield (EN 166)

### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material

Nitrile impregnated protective gloves

### Other

Light protective clothing

### **Environmental exposure controls**

No data available.

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

State of aggregation	
liquid	
Form	
pasty	
Colour	
white	
Odour	
pungent; acidic	
pH value	
cannot be determined	
Boiling point / boiling range	
No data available	
Melting point/freezing point	
No data available	
Decomposition temperature	
No data available	

Trade name: SCHIMMEL-STOPPER-SILICON

Product no.: SISI-T

Current version: 1.0.1, issued: 15.10.2024 Replaced version: 1.0.0, issued: 14.12.2023 Region: GER

Flash point

no data available

Ignition temperature

No data available

**Flammability** 

No data available

Lower explosion limit

No data available

**Upper explosion limit** 

No data available

Vapour pressure

No data available

Relative vapour density

No data available

Relative density

No data available

**Density** 

Value 1,03 g/cm³

Solubility in water

Comments insoluble

Solubility

No data available

Partition coefficient n-octanol/water (log value)

No data available

Kinematic viscosity

Value 150 Pa\*s

Type dynamic

Comments at a shear force of 20/s

Particle characteristics

No data available

### 9.2 Other information

Other information

No data available.

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No data available.

### 10.2 Chemical stability

No data available.

### 10.3 Possibility of hazardous reactions

No data available.

### 10.4 Conditions to avoid

No data available.

### 10.5 Incompatible materials

Acids; Alkalis; Alcohols

### 10.6 Hazardous decomposition products

Under the action of moisture (atmospheric moisture) product splits off a small quantity of acetic acid.

Trade name: SCHIMMEL-STOPPER-SILICON

Product no.: SISI-T

Current version: 1.0.1, issued: 15.10.2024 Replaced version: 1.0.0, issued: 14.12.2023 Region: GER

# SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity	y .
No data available	

# Acute dermal toxicity No data available

# Acute inhalational toxicity No data available

Skin corrosion/irritation	Skin corrosion/irritation				
Product Name					
SCHIMMEL-STOPPER-SILICON	N				
Weiß					
Species	rabbit				
Method	OECD 404				
Source	ECHA				
Comments	The study has indicated that the CAS No 17689-77-9 is not irritating if				
	it is contained in a silicone material to about 5%.				
Evaluation	non-irritant				

Serious eye damage/irritation	n				
Product Name					
	ON.				
SCHIMMEL-STOPPER-SILIC	ON				
Weiß					
Species	rabbit				
Method	OECD 405				
Source	ECHA				
Comments	The study has indicated that the CAS No 17689-77-9 is not irritating if				
	it is contained in a silicone material to about 5%.				
Evaluation	non-irritant				

Respiratory or skin sensitisation		
Product Name		
SCHIMMEL-STOPPER-SILICON		
Weiß		
Route of exposure	Skin	
Source	manufacturer	
Evaluation	non-sensitizing	
Evaluation/classification	Based on available data, the classification criteria are not met.	

# Germ cell mutagenicity No data available

Reproduction toxicity	
No data available	

Carcinogenicity	
No data available	

STOT - single exposure
No data available

STOT - repeated exposure
No data available

Δ	Aspiration hazard
Ν	No data available

Endocrine disrupting properties	
No data available	

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Trade name: SCHIMMEL-STOPPER-SILICON

Product no.: SISI-T

Current version: 1.0.1, issued: 15.10.2024 Replaced version: 1.0.0, issued: 14.12.2023 Region: GER

Repeated and prolonged skin contact may cause removal of natural fat from the skin and irritation of the skin. Eye contact with the product may lead to irritation.

### 11.2 Information on other hazards

### Other information

No data available.

## **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxicity to fish (acute)			
Product Name			
SCHIMMEL-STOPPER-SILICON			
Weiß			
Source	manufacturer		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Toxicity to fish (chronic)	
Product Name	
SCHIMMEL-STOPPER-SILICON	
Weiß	
Source	manufacturer
Evaluation/classification	Based on available data, the classification criteria are not met.

### **Toxicity to Daphnia (acute)**

No data available

### **Toxicity to Daphnia (chronic)**

No data available

### Toxicity to algae (acute)

No data available

### Toxicity to algae (chronic)

No data available

# **Bacteria toxicity**

No data available

### 12.2 Persistence and degradability

No data available.

### 12.3 Bioaccumulative potential

No data available.

### 12.4 Mobility in soil

No data available.

## 12.5 Results of PBT and vPvB assessment

No data available.

### 12.6 Endocrine disrupting properties

No data available.

### 12.7 Other adverse effects

No data available.

### 12.8 Other information

### Other information

Do not discharge product unmonitored into the environment.

### **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

**Product** 

Trade name: SCHIMMEL-STOPPER-SILICON

Product no.: SISI-T

Current version: 1.0.1, issued: 15.10.2024 Replaced version: 1.0.0, issued: 14.12.2023 Region: GER

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

### Packaging

Completely emptied packagings can be given for recycling. Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company.

### **SECTION 14: Transport information**

### 14.1 UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

### 14.2 UN proper shipping name

Not classified as dangerous in the meaning of transport regulations.

### 14.3 Transport hazard class(es)

Not classified as dangerous in the meaning of transport regulations.

### 14.4 Packing group

Not classified as dangerous in the meaning of transport regulations.

### 14.5 Environmental hazards

Not classified as dangerous in the meaning of transport regulations.

### 14.6 Special precautions for user

No data available.

### 14.7 Maritime transport in bulk according to IMO instruments

Not relevant

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

### Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

### REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

# Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No	
1	2-octyl-2H-isothiazol-3-one	26530-20-1	247-761-7	75	
2	dioctyltin dilaurate	3648-18-8	222-883-3	75	
3	octamethylcyclotetrasiloxane	556-67-2	209-136-7	75	
4	titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm]	13463-67-7	236-675-5	75	

### Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

# REGULATION (EU) No 528/2012 concerning the making available on the market and use of biocidal products

2-Octyl-2H-isothiazol-3-one (0.482 g/kg)

### Other regulations

Trade name: SCHIMMEL-STOPPER-SILICON

Product no.: SISI-T

Current version: 1.0.1, issued: 15.10.2024 Replaced version: 1.0.0, issued: 14.12.2023 Region: GER

Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed.

### **National regulations**

### Water Hazard Class (Germany)

Class 2

Source Classification according to AwSV (Regulation on facilities for handling substances

that are hazardous to water).

### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

## **SECTION 16: Other information**

## Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

# Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

EUH071 Corrosive to the respiratory tract.

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H351i Suspected of causing cancer by inhalation.

H361f Suspected of damaging fertility.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

# Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

V If the substance is to be placed on the market as fibres (with diameter < 3 μm, length > 5

µm and aspect ratio ≥ 3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied.

It has been observed that the carcinogenic hazard of this substance arises when

respirable dust is inhaled in quantities leading to significant impairment of particle

clearance mechanisms in the lung.

This note aims to describe the particular toxicity of the substance; it does not constitute a

criterion for classification according to this Regulation.

The concentration stated or, in the absence of such concentrations, the generic

concentrations of this Regulation (Table 3.1) or the generic concentrations of Directive 1999/45/EC (Table 3.2), are the percentages by weight of the metallic element calculated

with reference to the total weight of the mixture.

### Creation of the safety data sheet

**UMCO GmbH** 

W

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Trade name: SCHIMMEL-STOPPER-SILICON

Product no.: SISI-T

Current version: 1.0.1, issued: 15.10.2024 Replaced version: 1.0.0, issued: 14.12.2023 Region: GER

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 770516