

EC safety data sheet

Trade name: SCHWARZER BLOCKER SPACHTELMASSE

Product no.: SPSP

Current version : 3.2.0, issued: 04.03.2019

Replaced version: 3.1.0, issued: 27.06.2018

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

SCHWARZER BLOCKER SPACHTELMASSE

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Chemical product for building, modernising and repairing.

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

LUGATO GmbH & Co. KG
Großer Kamp 1
D-22885 Barsbüttel

Telephone no. +49 (0)40 694 07-0
Fax no. +49 (0)40 694 07-109 + 110

Information provided by / telephone

Department TS, telephone +49 40 694 07-222
e-mail: technik@lugato.de

Advice on Safety Data Sheet

technik@lugato.de

1.4 Emergency telephone number

For medical advice (in German and English):
+49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aquatic Chronic 3; H412
Flam. Liq. 3; H226

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



GHS02

Signal word

Warning

Hazard statement(s)

H226 Flammable liquid and vapour.
H412 Harmful to aquatic life with long lasting effects.

EC safety data sheet

Trade name: SCHWARZER BLOCKER SPACHTELMASSE

Product no.: SPSP

Current version : 3.2.0, issued: 04.03.2019

Replaced version: 3.1.0, issued: 27.06.2018

Region: GB

Hazard statements (EU)

EUH066 Repeated exposure may cause skin dryness or cracking.

Precautionary statement(s)

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P370+P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.

P501 Dispose of contents/container to a facility in accordance with local and national regulations.

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Chemical characterization

Preparation containing hazardous components given in the following list.

Hazardous ingredients

No	Substance name		Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	%
1	Hydrocarbons, C9-C11, isoalkanes, cyclics, <2% aromatics			
	- 920-134-1 - 01-2119480153-44	Aquatic Chronic 2; H411 Asp. Tox. 1; H304 Flam. Liq. 3; H226 STOT SE 3; H336	10.00 - < 25.00	%-b.w.
2	Naphtha (petroleum), hydrotreated light		Contains < 0.1 % w/w benzene (EC No 200-753-7).	
	64742-49-0 920-750-0 649-328-00-1 01-2119473851-33	Aquatic Chronic 2; H411 Asp. Tox. 1; H304 Flam. Liq. 2; H225 STOT SE 3; H336	2.50 - < 10.00	%-b.w.
3	Hydrocarbons, C9, aromatics			
	64742-95-6 918-668-5 - 01-2119455851-35	Flam. Liq. 3; H226 STOT SE 3; H335 STOT SE 3; H336 Aquatic Chronic 2; H411 Asp. Tox. 1; H304 EUH066	< 2.50	%-b.w.

Full Text for all H-phrases and EUH-phrases: pls. see section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air. In case of persisting adverse effects consult a physician.

After skin contact

Wash off immediately with soap and water. Consult a doctor if skin irritation persists.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Get medical attention if pain still persists.

EC safety data sheet

Trade name: SCHWARZER BLOCKER SPACHTELMASSE

Product no.: SPSP

Current version : 3.2.0, issued: 04.03.2019

Replaced version: 3.1.0, issued: 27.06.2018

Region: GB

After ingestion

Do not induce vomiting. Call a doctor immediately. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam; Dry chemical extinguisher; Carbon dioxide; Water spray jet

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO₂)

5.3 Advice for firefighters

Cool endangered containers with water spray jet. Use self-contained breathing apparatus. Wear protective clothing. Run-off water from fire fighting must not be discharged into drains or enter surface water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Keep away sources of ignition.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). Send in suitable containers for recovery or disposal.

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Provide good ventilation at the work area (local exhaust ventilation, if necessary). If workplace exposure limits are exceeded, respiratory protection approved for this particular job must be worn. Product inherent handling risks must be minimised taking the appropriate measures for protection and preventive actions. The working process should be designed to rule out the release of hazardous substances or skin contact as far it is possible by the state of the art.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Do not inhale vapours. Wash hands before breaks and after work.

Advice on protection against fire and explosion

Vapours can form an explosive mixture with air. Take precautionary measures against static charges. Keep away from sources of heat and ignition.

EC safety data sheet

Trade name: SCHWARZER BLOCKER SPACHTELMASSE

Product no.: SPSP

Current version : 3.2.0, issued: 04.03.2019

Replaced version: 3.1.0, issued: 27.06.2018

Region: GB

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place. Protect from heat and direct sunlight.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original one.

Advice on storage assembly

Do not store together with oxidizing agents.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	Hydrocarbons, C9-C11, isoalkanes, cyclics, <2% aromatics			-	
				920-134-1	
	dermal	Long term (chronic)	systemic	208	mg/kg/day
	inhalative	Long term (chronic)	systemic	871	mg/m ³
2	Naphtha (petroleum), hydrotreated light			64742-49-0	
				920-750-0	
	dermal	Long term (chronic)	systemic	773	mg/kg/day
	inhalative	Long term (chronic)	systemic	2035	mg/m ³
3	Hydrocarbons, C9, aromatics			64742-95-6	
				918-668-5	
	dermal	Long term (chronic)	systemic	25	mg/kg/day
	inhalative	Long term (chronic)	systemic	150	mg/m ³

DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	Hydrocarbons, C9-C11, isoalkanes, cyclics, <2% aromatics			-	
				920-134-1	
	oral	Long term (chronic)	systemic	125	mg/kg/day
	dermal	Long term (chronic)	systemic	125	mg/kg/day
	inhalative	Long term (chronic)	systemic	185	mg/m ³
2	Naphtha (petroleum), hydrotreated light			64742-49-0	
				920-750-0	
	oral	Long term (chronic)	systemic	699	mg/kg
	dermal	Long term (chronic)	systemic	699	mg/kg/day
	inhalative	Long term (chronic)	systemic	608	mg/m ³
3	Hydrocarbons, C9, aromatics			64742-95-6	
				918-668-5	
	oral	Long term (chronic)	systemic	11	mg/kg/day
	dermal	Long term (chronic)	systemic	11	mg/kg/day
	inhalative	Long term (chronic)	systemic	32	mg/m ³

EC safety data sheet

Trade name: SCHWARZER BLOCKER SPACHTELMASSE

Product no.: SPSP

Current version : 3.2.0, issued: 04.03.2019

Replaced version: 3.1.0, issued: 27.06.2018

Region: GB

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Respirator A/P2

Eye / face protection

Safety glasses (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material nitrile rubber
Material thickness \geq 0.4 mm

Other

Normal chemical work clothing.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form/Colour	
Viscous	
black	
Odour	
characteristic	
Odour threshold	
No data available	
pH value	
No data available	
Boiling point / boiling range	
No data available	
Melting point / melting range	
No data available	
Decomposition point / decomposition range	
No data available	
Flash point	
Value	24 °C
Ignition temperature	
Value	> 400 °C
Auto-ignition temperature	
Comments	Product is not selfigniting.

EC safety data sheet

Trade name: SCHWARZER BLOCKER SPACHTELMASSE

Product no.: SPSP

Current version : 3.2.0, issued: 04.03.2019

Replaced version: 3.1.0, issued: 27.06.2018

Region: GB

Oxidising properties

No data available

Explosive properties

This product is not explosive. In and after use danger of production of inflammable compounds.

Flammability (solid, gas)

No data available

Lower flammability or explosive limits

No data available

Upper flammability or explosive limits

No data available

Vapour pressure

Value	1	hPa
Reference temperature	20	°C

Vapour density

No data available

Evaporation rate

No data available

Relative density

No data available

Density

Value	1.07	g/cm ³
Reference temperature	20	°C

Solubility in water

Comments	partially miscible
----------	--------------------

Solubility(ies)

No data available

Partition coefficient: n-octanol/water

No data available

Viscosity

No data available

Solvent content

Value	22.99	%
-------	-------	---

Solids content

Value	77.0	%
-------	------	---

9.2 Other information

Other information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Stable under recommended storage and handling conditions (See section 7).

10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

EC safety data sheet

Trade name: SCHWARZER BLOCKER SPACHTELMASSE

Product no.: SPSP

Current version : 3.2.0, issued: 04.03.2019

Replaced version: 3.1.0, issued: 27.06.2018

Region: GB

10.5 Incompatible materials

Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	Naphtha (petroleum), hydrotreated light	64742-49-0	920-750-0
LD50	>	5840	mg/kg bodyweight
Species	rat		
Source	ECHA		
2	Hydrocarbons, C9, aromatics	64742-95-6	918-668-5
LD50	>	3492	mg/kg bodyweight
Species	rat		
Source	ECHA		

Acute dermal toxicity			
No	Substance name	CAS no.	EC no.
1	Naphtha (petroleum), hydrotreated light	64742-49-0	920-750-0
LD50	> 2800 - 3100		mg/kg bodyweight
Species	rabbit		
Source	ECHA		
2	Hydrocarbons, C9, aromatics	64742-95-6	918-668-5
LD50	>	3160	mg/kg bodyweight
Species	rabbit		
Method	OECD 402		
Source	ECHA		

Acute inhalational toxicity			
No	Substance name	CAS no.	EC no.
1	Naphtha (petroleum), hydrotreated light	64742-49-0	920-750-0
LC50	>	23.3	mg/l
Duration of exposure		4	h
State of aggregation	Vapour		
Species	rat		
Method	OECD 403		
Source	ECHA		
2	Hydrocarbons, C9, aromatics	64742-95-6	918-668-5
LC50	>	6.193	mg/l
Duration of exposure		4	h
State of aggregation	Vapour		
Species	rat		
Method	OECD 403		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

EC safety data sheet

Trade name: SCHWARZER BLOCKER SPACHTELMASSE

Product no.: SPSP

Current version : 3.2.0, issued: 04.03.2019

Replaced version: 3.1.0, issued: 27.06.2018

Region: GB

Skin corrosion/irritation			
No	Substance name	CAS no.	EC no.
1	Naphtha (petroleum), hydrotreated light	64742-49-0	920-750-0
Species		rabbit	
Method		OECD 404	
Source		ECHA	
Evaluation		non-irritant	
2	Hydrocarbons, C9, aromatics	64742-95-6	918-668-5
Species		rabbit	
Method		OECD 404	
Source		ECHA	
Evaluation		low-irritant	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Serious eye damage/irritation			
No	Substance name	CAS no.	EC no.
1	Naphtha (petroleum), hydrotreated light	64742-49-0	920-750-0
Species		rabbit	
Source		ECHA	
Evaluation		non-irritant	
2	Hydrocarbons, C9, aromatics	64742-95-6	918-668-5
Species		rabbit	
Method		OECD 405	
Source		ECHA	
Evaluation		non-irritant	
Respiratory or skin sensitisation			
No	Substance name	CAS no.	EC no.
1	Naphtha (petroleum), hydrotreated light	64742-49-0	920-750-0
Route of exposure		Skin	
Species		guinea pig	
Method		OECD 406	
Source		ECHA	
Evaluation		non-sensitizing	
2	Hydrocarbons, C9, aromatics	64742-95-6	918-668-5
Route of exposure		Skin	
Species		guinea pig	
Method		OECD 406	
Source		ECHA	
Evaluation		non-sensitizing	
Germ cell mutagenicity			
No	Substance name	CAS no.	EC no.
1	Naphtha (petroleum), hydrotreated light	64742-49-0	920-750-0
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
2	Hydrocarbons, C9, aromatics	64742-95-6	918-668-5
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Reproduction toxicity			
No	Substance name	CAS no.	EC no.
1	Naphtha (petroleum), hydrotreated light	64742-49-0	920-750-0
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
2	Hydrocarbons, C9, aromatics	64742-95-6	918-668-5
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

EC safety data sheet

Trade name: SCHWARZER BLOCKER SPACHTELMASSE

Product no.: SPSP

Current version : 3.2.0, issued: 04.03.2019

Replaced version: 3.1.0, issued: 27.06.2018

Region: GB

Carcinogenicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration hazard

No data available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Inhalation of vapours may lead to headache, drowsiness and dizziness. Inhalation of vapours in higher concentration may lead to irritation of eyes, nose and respiratory tract. Repeated and prolonged skin contact may cause removal of natural fat from the skin and irritation of the skin. Eye contact with the product may lead to irritation.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)

No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C9-C11, isoalkanes, cyclics, <2% aromatics	-	920-134-1
LL50		3.6	mg/l
Duration of exposure		96	h
Species	Oncorhynchus mykiss		
Method	OECD 203		
Source	ECHA		
2	Naphtha (petroleum), hydrotreated light	64742-49-0	920-750-0
LL50		<= 10	mg/l
Duration of exposure		96	h
Species	Oncorhynchus mykiss		
Method	OECD 203		
Source	ECHA		
3	Hydrocarbons, C9, aromatics	64742-95-6	918-668-5
LL50		9.2	mg/l
Duration of exposure		96	h
Species	Oncorhynchus mykiss		
Method	OECD 203		
Source	ECHA		

Toxicity to fish (chronic)

No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C9-C11, isoalkanes, cyclics, <2% aromatics	-	920-134-1
NOEC		0.132	mg/l
Duration of exposure		28	day(s)
Species	Oncorhynchus mykiss		
Method	(Q)SAR		
Source	ECHA		
2	Naphtha (petroleum), hydrotreated light	64742-49-0	920-750-0
NOELR		0.57	mg/l
Duration of exposure		28	day(s)
Species	Oncorhynchus mykiss		
Source	ECHA		

EC safety data sheet

Trade name: SCHWARZER BLOCKER SPACHTELMASSE

Product no.: SPSP

Current version : 3.2.0, issued: 04.03.2019

Replaced version: 3.1.0, issued: 27.06.2018

Region: GB

Toxicity to Daphnia (acute)			
No	Substance name	CAS no.	EC no.
1	Naphtha (petroleum), hydrotreated light	64742-49-0	920-750-0
EL50		<=	10 mg/l
Duration of exposure			48 h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		
2	Hydrocarbons, C9, aromatics	64742-95-6	918-668-5
EL50			3.2 mg/l
Duration of exposure			48 h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		
Toxicity to Daphnia (chronic)			
No	Substance name	CAS no.	EC no.
1	Naphtha (petroleum), hydrotreated light	64742-49-0	920-750-0
NOELR			1 mg/l
Duration of exposure			21 day(s)
Species	Daphnia magna		
Method	OECD 211		
Source	ECHA		
Toxicity to algae (acute)			
No	Substance name	CAS no.	EC no.
1	Naphtha (petroleum), hydrotreated light	64742-49-0	920-750-0
EL50		<=	30 mg/l
Duration of exposure			72 h
Species	Pseudokirchneriella subcapitata		
Method	OECD 201		
Source	ECHA		
2	Hydrocarbons, C9, aromatics	64742-95-6	918-668-5
EL50			2.9 mg/l
Duration of exposure			72 h
Species	Pseudokirchneriella subcapitata		
Method	OECD 201		
Source	ECHA		
Toxicity to algae (chronic)			
No	Substance name	CAS no.	EC no.
1	Naphtha (petroleum), hydrotreated light	64742-49-0	920-750-0
NOELR			6.3 mg/l
Duration of exposure			3 day(s)
Species	Pseudokirchneriella subcapitata		
Method	OECD 201		
Source	ECHA		
Bacteria toxicity			
No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C9, aromatics	64742-95-6	918-668-5
EC50		>	99 mg/l
Duration of exposure			10 min
Species	activated sludge		
Method	OECD 209		
Source	ECHA		

EC safety data sheet

Trade name: SCHWARZER BLOCKER SPACHTELMASSE

Product no.: SPSP

Current version : 3.2.0, issued: 04.03.2019

Replaced version: 3.1.0, issued: 27.06.2018

Region: GB

12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.
1	Naphtha (petroleum), hydrotreated light	64742-49-0	920-750-0
Value		98	%
Duration		28	day(s)
Method	OECD 301 F		
Source	ECHA		
Evaluation	readily biodegradable		
2	Hydrocarbons, C9, aromatics	64742-95-6	918-668-5
Type	BSB		
Value		78	%
Duration		28	d
Method	OECD 301 F		
Source	ECHA		
Evaluation	readily biodegradable		

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Other adverse effects

No data available.

12.7 Other information

Other information
Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Completely emptied packagings can be given for recycling. Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class	3
Classification code	F1
Packing group	III
Hazard identification no.	30
UN number	UN1139
Proper shipping name	COATING SOLUTION
Tunnel restriction code	D/E
Label	3
Comments	Containers with a capacity <= 450 ltrs are not subject to ADR-regulations (refer to 2.2.3.1.5.)

EC safety data sheet

Trade name: SCHWARZER BLOCKER SPACHTELMASSE

Product no.: SPSP

Current version : 3.2.0, issued: 04.03.2019

Replaced version: 3.1.0, issued: 27.06.2018

Region: GB

14.2 Transport IMDG

Class	3
Packing group	III
UN number	UN1139
Proper shipping name	COATING SOLUTION
EmS	F-E, S-E
Label	3
Comments	Containers with a capacity <= 30 ltrs are not subjected to IMDG regulations, chapter 4.1, 5.2 and 6.1 (see IMDG-Code 2.3.2.5)

14.3 Transport ICAO-TI / IATA

Class	3
Packing group	III
UN number	UN1139
Proper shipping name	Coating solution
Label	3

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annexe XVII.	No 3, 40
---	----------

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is subject to Part I of Annex I, risk category:	P5c
--	-----

Directive 2010/75/EU on industrial emissions (integrated pollution prevention and control)

VOC content	22.99	%
VOC-value	246.00	g/l

15.2 Chemical safety assessment

No data available.

EC safety data sheet

Trade name: SCHWARZER BLOCKER SPACHTELMASSE

Product no.: SPSP

Current version : 3.2.0, issued: 04.03.2019

Replaced version: 3.1.0, issued: 27.06.2018

Region: GB

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

Department issuing safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 20281