Trade name: Zementprodukte 2

Product no.: WK-ZP-2

Current version: 1.0.1, issued: 15.10.2024 Replaced version: 1.0.0, issued: 14.12.2023 Region: GER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Zementprodukte 2

FIXMÖRTEL 250

5 MINUTEN MÖRTEL

BODENSPACHTEL INNEN 220

SCHNELLZEMENT

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Chemical product for building, modernising and repairing.

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

LUGATO GmbH & Co. KG

Großer Kamp 1

D-22885 Barsbüttel

Telephone no. +49 (0)40 694 07-0

Fax no. +49 (0)40 694 07-109 + 110

Advice on Safety Data Sheet

sicherheit@lugato.de

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Eye Dam. 1; H318 Skin Irrit. 2; H315 STOT SE 3; H335

Classification information

Classification and labelling with respect to skin sensitization and/or respiratory sensitization are based on toxicological studies performed on the product (mixture).

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms





Trade name: Zementprodukte 2

Product no.: WK-ZP-2

Current version: 1.0.1, issued: 15.10.2024 Replaced version: 1.0.0, issued: 14.12.2023 Region: GER

GHS05 GHS07

Signal word Danger

Hazardous component(s) to be indicated on label:

Portland cement

Hazard statement(s)

H315 Causes skin irritation.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

Precautionary statement(s)

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P501 Dispose of contents/container to hazardous or special waste collection point.

Labelling information

These mixtures are considered to be low in chromate in accordance with EC-regulation 1907/2006, annex XVII (47).

The proportion of water soluble chromate (VI) is below 2 ppm (mg/kg).

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Chemical characterization

Preparation containing hazardous components given in the following list.

Hazardous ingredients

No	Substance name		Additional information				
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Concentration			%	
	REACH no						
1	Portland cement						
	65997-15-1	Eye Dam. 1; H318	>	30,00	- <	50,00	wt%
	266-043-4	Skin Irrit. 2; H315					
	-	STOT SE 3; H335					
	-	Skin Sens. 1; H317					
2	CALCIUM DIHYDROXIDE						
	1305-62-0	Eye Dam. 1; H318	>	1,00	- <	5,00	wt%
	215-137-3	Skin Irrit. 2; H315					
	-	STOT SE 3; H335					
	-						
3	Portland cement, Flue dust						
	68475-76-3	Eye Dam. 1; H318	>	1,00	- <	5,00	wt%
	270-659-9	Skin Irrit. 2; H315					
	-	STOT SE 3; H335					
	01-2119486767-17	Skin Sens. 1; H317					

Full text of H- and EUH-phrases, if not already mentioned in section 2.2: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician.

After inhalation

Trade name: Zementprodukte 2

Product no.: WK-ZP-2

Current version: 1.0.1, issued: 15.10.2024 Replaced version: 1.0.0, issued: 14.12.2023 Region: GER

Ensure supply of fresh air.

After skin contact

In case of contact with skin wash off immediately with copious amounts of water.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

After ingestion

Rinse out mouth and give plenty of water to drink. Seek medical advice immediately. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

Unsuitable extinguishing media

No data available.

5.2 Special hazards arising from the substance or mixture

No data available.

5.3 Advice for firefighters

Cement reacts strongly alkaline with water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid dust formation.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Collect mechanically. Product sets hard together with water, Send in suitable containers for recovery or disposal.

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Ensure adequate ventilation. Transport only in closed packing containers. Before use stand sacks upright and separate head piece (cover sheet) cleanly by cutting open. Carefully fill the powder, according to the instructions, into mixing vessels containing water. Avoid the formation and deposition of dust. Refer to protective measures listed in section 8.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Wash hands before breaks and after work.

Advice on protection against fire and explosion

No special measures necessary.

Trade name: Zementprodukte 2

Product no.: WK-ZP-2

Current version: 1.0.1, issued: 15.10.2024 Replaced version: 1.0.0, issued: 14.12.2023 Region: GER

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Store in a dry place. Protect from atmospheric moisture and water.

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed.

Incompatible products

None known

Stoarge Class according TRGS 510

13 Non-combustible solids that cannot be assigned to any of the above storage classes

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	CALCIUM DIHYDROXIDE	1305-62-0		215-137-3	
	TRGS 900				
	Calciumdihydroxid				
	WEL long-term (8-hr TWA reference period)	1 E	mg/m³		
	Ceiling Limit	2 (I)			
	Notes	Υ			
	2017/164/EU				
	Calcium dihydroxide				
	WEL short-term (15 min reference period)	4 (9)	mg/m³		•
	WEL long-term (8-hr TWA reference period)	1 (9)	mg/m³		

Other information

Measurement method for determining the dust concentration: according to BIA worksheet 7490.

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. Short term: filter apparatus, Filter P2

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material Nitrile impregnated protective gloves

Other

Light protective clothing

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

Trade name: Zementprodukte 2

Product no.: WK-ZP-2

Current version: 1.0.1, issued: 15.10.2024 Replaced version: 1.0.0, issued: 14.12.2023 Region: GER

9.1 Information on basic physical and chemical properties

State of aggregation	
solid	

Form
Powder

Colour
grey, white or coloured

Odour odourless

 pH value

 Value
 11,0 - 13,5

 Reference temperature
 20 °C

 Comments
 Saturated solution

Boiling point / boiling range
No data available

| Melting point/freezing point | >= 1200 °C |

Decomposition temperature

No data available

Flash point
Not applicable

Ignition temperature

No data available

Flammability
No data available

Lower explosion limit
No data available

Upper explosion limit
No data available

Vapour pressure

No data available

Relative vapour density
No data available

Relative density
No data available

DensityValue2,9-3,2g/cm³Reference temperature20°C

 Bulk density

 Value
 appr.
 1100 kg/m³

Solubility in waterValueappr.1,5g/lReference temperature20°C

Solubility
No data available

Partition coefficient n-octanol/water (log value)

No data available

Trade name: Zementprodukte 2

Product no.: WK-ZP-2

Current version: 1.0.1, issued: 15.10.2024 Replaced version: 1.0.0, issued: 14.12.2023 Region: GER

Kinematic viscosity

No data available

Particle characteristics

No data available

9.2 Other information

Other information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

No data available.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

No data available.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

No data available

Acute dermal toxicity

No data available

Acute inhalational toxicity

No data available

Skin corrosion/irritation

No data available

Serious eye damage/irritation

No data available

Respiratory or skin sensitisation

Product Name

Zementprodukte 2

FIXMÖRTEL 250

5 MINUTEN MÖRTEL

BODENSPACHTEL INNEN 220

SCHNELLZEMENT

Route of exposure Skin

Evaluation/classification Based on available data, the classification criteria are not met.

Germ cell mutagenicity

No data available

Reproduction toxicity

No data available

Carcinogenicity

No data available

Trade name: Zementprodukte 2

Product no.: WK-ZP-2

Current version: 1.0.1, issued: 15.10.2024 Replaced version: 1.0.0, issued: 14.12.2023 Region: GER

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration hazard

No data available

Endocrine disrupting properties

No data available

Symptoms related to the physical, chemical and toxicological characteristics

The product can cause skin and eye irritation.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Inhalation may lead to irritation of the respiratory tract.

11.2 Information on other hazards

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)

No data available

Toxicity to fish (chronic)

No data available

Toxicity to Daphnia (acute)

No data available

Toxicity to Daphnia (chronic)

No data available

Toxicity to algae (acute)

No data available

Toxicity to algae (chronic)

No data available

Bacteria toxicity

No data available

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information

Trade name: Zementprodukte 2

Product no.: WK-ZP-2

Current version: 1.0.1, issued: 15.10.2024 Replaced version: 1.0.0, issued: 14.12.2023 Region: GER

Do not discharge into drains or waters and do not dispose of in public landfills.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Completely emptied packagings can be given for recycling. Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company.

SECTION 14: Transport information

14.1 UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

14.2 UN proper shipping name

Not classified as dangerous in the meaning of transport regulations.

14.3 Transport hazard class(es)

Not classified as dangerous in the meaning of transport regulations.

14.4 Packing group

Not classified as dangerous in the meaning of transport regulations.

14.5 Environmental hazards

Not classified as dangerous in the meaning of transport regulations.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	sodium carbonate	497-19-8	207-838-8	75

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed.

Trade name: Zementprodukte 2

Product no.: WK-ZP-2

Current version: 1.0.1, issued: 15.10.2024 Replaced version: 1.0.0, issued: 14.12.2023 Region: GER

National regulations

Water Hazard Class (Germany)

Class

Source Classification according to AwSV (Regulation on facilities for handling substances

that are hazardous to water).

Other regulations

GISCODE: ZP1 "cement-containing products, low in chromate"

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H317 May cause an allergic skin reaction.

Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 642686