Trade name: Zementprodukte 2 Product no.: WK-ZP-2 Current version : 1.4.1, issued: 16.06.2020

Replaced version: 1.4.0, issued: 14.08.2018

Region: GB

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Zementprodukte 2 5 MINUTEN MÖRTEL FIXMÖRTEL 250 BODENSPACHTEL INNEN 220 SCHNELLZEMENT

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture Chemical product for building, modernising and repairing.

Uses advised against No data available.

#### 1.3 Details of the supplier of the safety data sheet

#### Address

LUGATO GmbH & Co. KG Großer Kamp 1 D-22885 Barsbüttel

Telephone no.+49 (0)40 694 07-0Fax no.+49 (0)40 694 07-109 + 110

Information provided by / telephone Department TS, telephone +49 40 694 07-222 e-mail: technik@lugato.de

Advice on Safety Data Sheet technik@lugato.de

#### 1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Eye Dam. 1; H318 Skin Irrit. 2; H315 STOT SE 3; H335

#### Classification information

Classification and labelling with respect to skin sensitization and/or respiratory sensitization are based on toxicological studies performed on the product (mixture).

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

#### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms

#### Trade name: Zementprodukte 2

Product no.: WK-ZP-2

Current version : 1.4.1, issued: 16.06.2020

Replaced version: 1.4.0, issued: 14.08.2018

Region: GB



#### Signal word Danger

#### Hazardous component(s) to be indicated on label: Portland cement

#### Hazard statement(s)

nazaru statement(s)	
H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

#### Procentionary statement(s)

Frecautionary Statement	.(5)
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501	Dispose of contents/container to hazardous or special waste collection point.

#### Labelling information

These mixtures are considered to be low in chromate in accordance with EC-regulation 1907/2006, annex XVII (47). The proportion of water soluble chromate (VI) is below 2 ppm (mg/kg).

#### 2.3 Other hazards

No data available.

#### **SECTION 3: Composition/information on ingredients**

#### 3.1 **Substances**

Not applicable. The product is not a substance.

#### 3.2 **Mixtures**

#### **Chemical characterization**

Preparation containing hazardous components given in the following list.

#### **Hazardous ingredients**

No	o Substance name Additional information					
110			<u></u>	0/		
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Con	centration		%
	REACH no					
1	Portland cement					
	65997-15-1	Eye Dam. 1; H318	>	30.00 - <	50.00	%-b.w.
	266-043-4	Skin Irrit. 2; H315				
	-	STOT SE 3; H335				
	-	Skin Sens. 1; H317				
2	CALCIUM DIHYDR	OXIDE				
	1305-62-0	Eye Dam. 1; H318	>	1.00 - <	5.00	%-b.w.
	215-137-3	Skin Irrit. 2; H315				
	-	STOT SE 3; H335				
	-					
3	Portland cement, F	lue dust				
	68475-76-3	Eye Dam. 1; H318	>	1.00 - <	5.00	%-b.w.
	270-659-9	Skin Irrit. 2; H315				
	-	STOT SE 3; H335				
	01-2119486767-17	Skin Sens. 1; H317				
Eull	Toxt for all U phrases	and ELIH-phrases: pls_see section 16				

Full Text for all H-phrases and EUH-phrases: pls. see section 16

#### **SECTION 4: First aid measures**

#### Trade name: Zementprodukte 2

Current version : 1.4.1. issued: 16.06.2020

Product no.: WK-ZP-2

Replaced version: 1.4.0, issued: 14.08.2018

#### 4.1 Description of first aid measures

#### General information

In case of persisting adverse effects, consult a physician.

#### After inhalation

Ensure supply of fresh air.

#### After skin contact

In case of contact with skin wash off immediately with copious amounts of water.

#### After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

#### After ingestion

Rinse out mouth and give plenty of water to drink. Seek medical advice immediately. Never give anything by mouth to an unconscious person.

- **4.2 Most important symptoms and effects, both acute and delayed** No data available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

**Unsuitable extinguishing media** No data available.

5.2 Special hazards arising from the substance or mixture No data available.

#### 5.3 Advice for firefighters

Cement reacts strongly alkaline with water.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid dust formation.

#### For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

#### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

#### 6.3 Methods and material for containment and cleaning up

Take up mechanically. Product sets hard together with water, Send in suitable containers for recovery or disposal.

6.4 Reference to other sections

No data available.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Ensure adequate ventilation. Transport only in closed packing containers. Before use stand sacks upright and separate head piece (cover sheet) cleanly by cutting open. Carefully fill the powder, according to the instructions, into mixing vessels containing water. Avoid the formation and deposition of dust. Refer to protective measures listed in section 8.

#### Trade name: Zementprodukte 2

Product no.: WK-ZP-2

Current version : 1.4.1, issued: 16.06.2020

#### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Wash hands before breaks and after work.

Advice on protection against fire and explosion No special measures necessary.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Store in a dry place. Protect from atmospheric moisture and water.

#### Requirements for storage rooms and vessels

Keep in original packaging, tightly closed.

Incompatible products None known

#### 7.3 Specific end use(s)

No data available.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational exposure limit values**

No	Substance name	CAS no.		EC no.
1	Portland cement	65997-15-1		266-043-4
	List of approved workplace exposure limits (WELs) /	EH40		
	Portland Cement			
	total inhalable dust			
	WEL long-term (8-hr TWA reference period)	10	mg/m³	
	List of approved workplace exposure limits (WELs) /	EH40		
	Portland Cement			
	respirable dust			
	WEL long-term (8-hr TWA reference period)	4	mg/m³	
2	CALCIUM DIHYDROXIDE	1305-62-0		215-137-3
	2017/164/EU			
	Calcium dihydroxide			
	WEL short-term (15 min reference period)	4 (Resp)	mg/m³	
	WEL long-term (8-hr TWA reference period)	1 (Resp)	mg/m³	
	List of approved workplace exposure limits (WELs) / EH40			
	Calcium hydroxide			
	WEL long-term (8-hr TWA reference period)	5	mg/m³	
	List of approved workplace exposure limits (WELs) / EH40			
	Calcium hydroxide (Respirable fraction)			
	WEL short-term (15 min reference period)	4	mg/m³	
	WEL long-term (8-hr TWA reference period)	1	mg/m³	

#### 8.2 Exposure controls

#### Appropriate engineering controls

No data available.

#### Personal protective equipment

#### Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. Short term: filter apparatus, Filter P2

#### Eye / face protection

Safety glasses with side protection shield (EN 166)

#### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-

#### **Trade name:** Zementprodukte 2

Product no.: WK-ZP-2

Current version : 1.4.1, issued: 16.06.2020

Replaced version: 1.4.0, issued: 14.08.2018

Region: GB

station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material Nitrile impregnated protective gloves

#### Other

Light protective clothing

Environmental exposure controls

No data available.

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Form/Colour	
Powder	
grey, white or coloured	
Odour	
odourless	
Odour threshold	
No data available	
pH value	
Value	11.0 - 13.5
Reference temperature	20 °C
Comments	Saturated solution
Boiling point / boiling range	
No data available	
Melting point / melting range	
Value	>= 1200 °C
Decomposition point / decomposition range	
Decomposition point / decomposition range No data available	
No data avallable	
Flash point	
Not applicable	
Auto-ignition temperature	
No data available	
Oxidising properties	
No data available	
Explosive properties	
No data available	
Flammability (solid, gas)	
No data available	
Lower flammability or explosive limits	
No data available	
Upper flammability or explosive limits	
No data available	
Vapour pressure	
No data available	
Vapour density	
No data available	
Evaporation rate	
No data available	

#### Trade name: Zementprodukte 2

#### Product no.: WK-ZP-2

Current version : 1.4.1, issued: 16.06.2020

Region: GB

Relative density				
No data available				
Density				
Value	2.9	- 3.2	g/cm³	
Reference temperature		20	°C	
Bulk density				
Value	appr.	1100	kg/m³	
Solubility in water				
Value	appr.	1.5	g/l	
Reference temperature		20	°C	
Solubility(ies)				
No data available				
Partition coefficient: n-octanol/water				
No data available				
Viscosity				
No data available				

#### Other information

No data available.

#### SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

- **10.2 Chemical stability** No data available.
- **10.3 Possibility of hazardous reactions** No data available.
- **10.4 Conditions to avoid** No data available.
- **10.5** Incompatible materials None known.
- **10.6 Hazardous decomposition products** No hazardous decomposition products known.

#### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Acute oral toxicity
No data available
Acute dermal toxicity
No data available
Acute inhalational toxicity No data available
Skin corrosion/irritation
No data available
Serious eye damage/irritation
No data available

### Trade name: Zementprodukte 2

Product no.: WK-ZP-2

Current version : 1.4.1, issued: 16.06.2020

Replaced version: 1.4.0, issued: 14.08.2018

Region: GB

No	Product Name			
1	Zementprodukte 2 5 MINUTEN MÖRTEL FIXMÖRTEL 250 BODENSPACHTEL INNEN 22 SCHNELLZEMENT	0		
Rou	te of exposure	Skin		
	luation/classification	Based on available data, the classification criteria are not met.		
Ger	m cell mutagenicity			
	data available			
Rep	roduction toxicity			
	data available			
Car	cinogenicity			
	lo data available			
STOT - single exposure				
No data available				
STOT - repeated exposure				
No data available				
	iration hazard			
No data available				
Symptoms related to the physical, chemical and toxicological characteristics				
The product can cause skin and eye irritation.				
Dela	aved and immediate effects as	well as chronic effects from short and long-term exposure		
Inhalation may lead to irritation of the respiratory tract.				

SECTION 12: Ecological information

#### 12.1 Toxicity

Toxicity to fish (acute)
No data available
Toxicity to fish (chronic)
No data available
Toxicity to Daphnia (acute)
No data available
Toxicity to Daphnia (chronic)
No data available
Toxicity to algae (acute)
No data available
Toxicity to algae (chronic)
No data available
Bacteria toxicity
No data available

## 12.2 Persistence and degradability

No data available.

# **12.3 Bioaccumulative potential** No data available.

**12.4 Mobility in soil** No data available.

**Trade name:** Zementprodukte 2

Product no.: WK-ZP-2

Current version : 1.4.1, issued: 16.06.2020

Replaced version: 1.4.0, issued: 14.08.2018

#### 12.5 Results of PBT and vPvB assessment

No data available.

#### 12.6 Other adverse effects

No data available.

#### 12.7 Other information

Other information Do not discharge into the drains or waters and do not store on public depositories.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

#### Packaging

Completely emptied packagings can be given for recycling. Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company.

#### **SECTION 14: Transport information**

#### 14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

#### 14.2 Transport IMDG

The product is not subject to IMDG regulations.

#### 14.3 Transport ICAO-TI / IATA The product is not subject to ICAO-TI / IATA regulations.

#### **14.4 Other information** No data available.

**14.5** Environmental hazards Information on environmental hazards, if relevant, please see 14.1 - 14.3.

# 14.6 Special precautions for user No data available.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not relevant

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

#### Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

#### REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

# Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances requiring authorisation as listed on Annex XVII of the REACH regulation (EC) 1907/2006.

#### **Trade name:** Zementprodukte 2

Product no.: WK-ZP-2

Current version : 1.4.1, issued: 16.06.2020

Replaced version: 1.4.0, issued: 14.08.2018

Region: GB

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances This product is not subject to Part 1 or 2 of Annex I.

#### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

#### **SECTION 16: Other information**

#### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

# Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H317

May cause an allergic skin reaction.

#### Department issuing safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 642686