Trade name: SOFORT DICHT

Product no.: SODI

Current version: 2.1.0. issued: 27.06.2018 Replaced version: 2.0.0. issued: 28.08.2014 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade name

SOFORT DICHT

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Chemical product for building, modernising and repairing.

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

LUGATO GmbH & Co. KG

Großer Kamp 1

D-22885 Barsbüttel

Telephone no. +49 (0)40 694 07-0

+49 (0)40 694 07-109 + 110

Information provided by / telephone

Department TS, telephone +49 40 694 07-222

e-mail: technik@lugato.de

Advice on Safety Data Sheet

technik@lugato.de

Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Flam. Liq. 3; H226 **STOT SE 3: H336**

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC)

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms





Signal word

Warning

Hazardous component(s) to be indicated on label:

Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics

Trade name: SOFORT DICHT

Product no.: SODI

Current version: 2.1.0, issued: 27.06.2018 Replaced version: 2.0.0, issued: 28.08.2014 Region: GB

Hazard statement(s)

H226 Flammable liquid and vapour. H336 May cause drowsiness or dizziness.

Hazard statements (EU)

EUH066 Repeated exposure may cause skin dryness or cracking.

Precautionary statement(s)

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P271 Use only outdoors or in a well-ventilated area.

P370+P378 In case of fire: Use water spray, extinguishing powder, foam or CO2 to extinguish.

P501 Dispose of contents/container to hazardous or special waste collection point.

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Chemical characterization

Solvent containing acrylic resin with mineral filler, acrylic fibres and additives

Hazardous ingredients

No	Substance name		Additi	onal information)	
	CAS / EC / Index /	C / Index / Classification (EC) 1272/2008 (CLP)		Concentration		
	REACH no					
1		C10, n-alkanes, isoalkanes, cyclics, <2%				
	aromatics					
	-	Aquatic Chronic 3; H412	>=	10.00 - <	25.00	%-b.w.
	927-241-2	Asp. Tox. 1; H304				
	-	Flam. Liq. 3; H226				
	01-2119471843-32	STOT SE 3; H336				
		EUH066				
2	n-butyl acetate					
	123-86-4	EUH066	>=	10.00 - <	25.00	%-b.w.
	204-658-1	Flam. Liq. 3; H226				
	607-025-00-1	STOT SE 3; H336				
	-					
3	silicon dioxide, che	emically prepared				
	7631-86-9	-	>=	10.00 - <	25.00	%-b.w.
	231-545-4					
	-					
	01-2119379499-16					

Full Text for all H-phrases and EUH-phrases: pls. see section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air.

After skin contact

Wash off immediately with soap and water.

Trade name: SOFORT DICHT

Product no.: SODI

Current version: 2.1.0, issued: 27.06.2018 Replaced version: 2.0.0, issued: 28.08.2014 Region: GB

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

After ingestion

Do not induce vomiting. Call a doctor immediately. Never give anything by mouth to an unconscious person. Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray jet; Extinguishing powder; Carbon dioxide; Foam

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2); Hydrocarbons

5.3 Advice for firefighters

Use self-contained breathing apparatus. Cool endangered containers with water spray jet. Wear protective clothing. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Keep away sources of ignition.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). Send in suitable containers for recovery or disposal.

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Provide good ventilation at the work area (local exhaust ventilation, if necessary). Refer to protective measures listed in section 8.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Do not inhale vapours. Wash hands before breaks and after work.

Advice on protection against fire and explosion

Vapours can form an explosive mixture with air. Take precautionary measures against static charges. Keep away from sources of heat and ignition.

Trade name: SOFORT DICHT

Product no.: SODI

Current version: 2.1.0, issued: 27.06.2018 Replaced version: 2.0.0, issued: 28.08.2014 Region: GB

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original one.

Advice on storage assembly

Do not store together with: Oxidizing agents

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	silicon dioxide, chemically prepared	7631-86-9		231-545-4	
	List of approved workplace exposure limits (WELs) / E	EH40			
	Silica, amorphous				
	inhalable dust				
	TWA	6	mg/m³		
	List of approved workplace exposure limits (WELs) / E	EH40			
	Silica, amorphous				
	respirable dust				
	TWA	2.4	mg/m³		
2	n-butyl acetate	123-86-4		204-658-1	
	List of approved workplace exposure limits (WELs) / E	EH40			
	Butyl acetate				
	STEL	966	mg/m³	200	ml/m³
	TWA	724	mg/m³	150	ml/m³

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name	CAS / EC no)		
	Route of exposure				
1	Hydrocarbons, C9-C10, n-	-			
	dermal	Long term (chronic)	systemic	208	mg/kg/day
	inhalative	Long term (chronic)	systemic	871	ma/m³

DNEL value (consumer)

	DIVEE Value (Collocation)				
No	Substance name	CAS / EC no			
	Route of exposure	Exposure time	Effect	Value	
1	Hydrocarbons, C9-C10, n-	-			
	oral	Long term (chronic)	systemic	125	mg/kg/day
	dermal	Long term (chronic)	systemic	125	mg/kg/day
	inhalative	Long term (chronic)	systemic	185	mg/m³

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. Short term: filter apparatus, Filter A/P

Trade name: SOFORT DICHT

Product no.: SODI

Current version: 2.1.0, issued: 27.06.2018 Replaced version: 2.0.0, issued: 28.08.2014 Region: GB

Eye / face protection

Tightly fitting safety glasses (EN 166).

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material butyl rubber

Breakthrough time > 120 min

Other

Light protective clothing

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

o. i information on basic physica	ii and chemicai pr	operties		
Form/Colour				
pasty				
grey				
Odour				
characteristic				
Odour threshold		_	_	
No data available				
pH value				
No data available				
Boiling point / boiling range				
No data available				
Melting point / melting range				
No data available				
Decomposition point / decompositi	on range			
No data available				
Flash point				
Value	>	24	°C	

Trade name: SOFORT DICHT

Product no.: SODI

Current version: 2.1.0, issued: 27.06.2018 Replaced version: 2.0.0, issued: 28.08.2014 Region: GB

Auto-ignition temperature

No data available

Oxidising properties

No data available

Explosive properties

No data available

Flammability (solid, gas)

No data available

Lower flammability or explosive limits

No data available

Upper flammability or explosive limits

No data available

Vapour pressure

No data available

Vapour density

No data available

Evaporation rate

No data available

Relative density

No data available

Density

No data available

Solubility in water

Remarks immiscible

Solubility(ies)

No data available

Partition coefficient: n-octanol/water

No data available

Viscosity Value

ı	Type		
- 1	.,,,,,		

9.2 Other	information
-----------	-------------

Other information
No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

appr. kinematic

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Heat

10.5 Incompatible materials

Oxidizing agents

60000 cP

Trade name: SOFORT DICHT

Product no.: SODI

Current version: 2.1.0, issued: 27.06.2018 Replaced version: 2.0.0, issued: 28.08.2014 Region: GB

10.6 Hazardous decomposition products

Hydrocarbons

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acu	te oral toxicity				
No	Substance name		CAS no.		EC no.
1	Hydrocarbons, C9-C10, n-alkanes, isoalk cyclics, <2% aromatics	anes,	-		927-241-2
LD5	0	>		5000	mg/kg bodyweight
Spe	cies	rat			
Meth	nod	OECD 401			
Sou	rce	Manufacturer			
2	n-butyl acetate		123-86-4		204-658-1
LD5	0			13100	mg/kg bodyweight
Spe	cies	rat			
Sou	rce	Manufacturer			

Acu	te dermal toxicity				
No	Substance name		CAS no.		EC no.
1	Hydrocarbons, C9-C10, n-alkanes, isoalle cyclics, <2% aromatics	kanes,	-		927-241-2
LD5	0	>		5000	mg/kg bodyweight
Spec	cies	rabbit			
Meth	nod	OECD 402			
Sour	rce	Manufacturer			
2	n-butyl acetate		123-86-4		204-658-1
LD5	0			14100	mg/kg bodyweight
Spec	cies	rabbit			
Sour	rce	Manufacturer			

Acu	Acute inhalational toxicity							
No	Substance name		CAS no.		EC no.			
1	Hydrocarbons, C9-C10, n-alkanes, isoalk	anes,	-		927-241-2			
	cyclics, <2% aromatics							
LC5	0	>		4.951	mg/l			
Dura	ation of exposure			4	h ¯			
State	e of aggregation	Dust/mist						
Spe	cies	rat						
Meth	nod	OECD 403						
Sou	rce	Manufacturer						

Trade name: SOFORT DICHT

Product no.: SODI

Current version: 2.1.0, issued: 27.06.2018 Replaced version: 2.0.0, issued: 28.08.2014 Region: GB

Skin corrosion/irritation

No data available

Serious eye damage/irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Reproduction toxicity

No data available

Carcinogenicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration hazard

No data available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Inhalation of vapours may lead to headache, drowsiness and dizziness. Inhalation of vapours in higher concentration may lead to irritation of eyes, nose and respiratory tract. Repeated and prolonged skin contact may cause removal of natural fat from the skin and irritation of the skin. Eye contact with the product may lead to irritation.

SECTION 12: Ecological information

12.1 Toxicity

Toxi	icity to fish (acute)				
No	Substance name	CAS no.		EC no.	
1	Hydrocarbons, C9-C10, n-alkanes, isoalk	ranes, -		927-241-2	
	cyclics, <2% aromatics				
LL50)	10	- 30	mg/l	
Dura	ation of exposure		96	h	
Spec	cies	Oncorhynchus mykiss			
Soul	rce	Manufacturer			
2	n-butyl acetate	123-86-4		204-658-1	
LC5	0		62	mg/l	
Dura	ation of exposure		96	h	
Spec	cies	Leuciscus idus			
Meth	nod	DIN 38412			

Toxicity to fish (chronic)

No data available

Tox	icity to Daphnia (acute)			
No	Substance name	CAS no).	EC no.
1	Hydrocarbons, C9-C10, n-alkanes, isoalk	anes, -		927-241-2
	cyclics, <2% aromatics			
EL5	0	22	- 46	mg/l
Dura	ation of exposure		48	h
Spe	cies	Daphnia magna		
Sou	rce	Manufacturer		

Trade name: SOFORT DICHT

Product no.: SODI

Current version: 2.1.0, issued: 27.06.2018 Replaced version: 2.0.0, issued: 28.08.2014 Region: GB

Toxicity to Daphnia (chronic) No data available

Toxicity to algae (acute)						
No	Substance name	CAS no.		EC no.		
1	Hydrocarbons, C9-C10, n-alkanes, isoall	canes, -		927-241-2		
	cyclics, <2% aromatics					
EL5	0	>	1000	mg/l		
Duration of exposure			72	h		
Species		Pseudokirchneriella subcapitata				
Source		Manufacturer				
2	n-butyl acetate	123-86-4		204-658-1		
EC5	0		647.7	mg/l		
Duration of exposure			72	h		
Species		Desmodesmus subspicatus				
Source		ECHA				

Toxicity to algae (chronic)						
No	Substance name	CAS no.		EC no.		
1	Hydrocarbons, C9-C10, n-alkanes, isoalkanes,			927-241-2		
	cyclics, <2% aromatics					
NOE	LR	<	1	mg/l		
Duration of exposure			72	h		
Species		Pseudokirchneriella subcapitata				
Source		Manufacturer				

Bacteria toxicity	
No data available	

12.2 Persistence and degradability

i oroiotorio ana aogradamiy							
Biodegradability							
No	Substance name	CAS no.		EC no.			
1	Hydrocarbons, C9-C10, n-alkanes, isoalk	anes, -		927-241-2			
	cyclics, <2% aromatics						
Туре	e	aerobic biodegradation					
Valu	ie		89	%			
Dura	ation		28	day(s)			
Method		OECD 301 F					
Source		ECHA					
Evaluation		readily biodegradable					

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Other adverse effects

No data available.

12.7 Other information

Othe	me	orma	tion	
_				_

Do not discharge into the drains or waters and do not store on public depositories.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Trade name: SOFORT DICHT

Product no.: SODI

Current version: 2.1.0, issued: 27.06.2018 Replaced version: 2.0.0, issued: 28.08.2014 Region: GB

Packaging

Completely emptied packagings can be given for recycling. Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class 3
Classification code F1
Packing group III
Hazard identification no. 30
UN number UN1133
Proper shipping name ADHESIVES
Tunnel restriction code D/E
Label 3

14.2 Transport IMDG

Class 3
Packing group III
UN number UN1133
Proper shipping name ADHESIVES
EmS F-E, S-D
Label 3

14.3 Transport ICAO-TI / IATA

Class 3
Packing group III
UN number UN1133
Proper shipping name Adhesives
Label 3

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annexe No 3, 40 XVII.

Trade name: SOFORT DICHT

Product no.: SODI

Current version: 2.1.0, issued: 27.06.2018 Replaced version: 2.0.0, issued: 28.08.2014 Region: GB

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is subject to Part I of Annex I, risk category:

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H304 May be fatal if swallowed and enters airways.
H412 Harmful to aquatic life with long lasting effects.

Department issuing safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 20286