Trade name: SOFORT DICHT Product no.: SODI Current version : 1.0.1, issued: 15.10.2024

Replaced version: 1.0.0, issued: 14.12.2023

Region: GER

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

## SOFORT DICHT

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture Chemical product for building, modernising and repairing.

Uses advised against No data available.

## 1.3 Details of the supplier of the safety data sheet

#### Address

LUGATO GmbH & Co. KG Großer Kamp 1 D-22885 Barsbüttel

Telephone no.+49 (0)40 694 07-0Fax no.+49 (0)40 694 07-109 + 110

Advice on Safety Data Sheet sicherheit@lugato.de

## 1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP) Flam. Liq. 3; H226 STOT SE 3; H336

### **Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC)  $n^{\circ}$  1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

## 2.2 Label elements

## Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

### Hazard pictograms



Signal word Warning Hazardous component(s) to be indicated on label: Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics Hazard statement(s)

H226 H336 Flammable liquid and vapour. May cause drowsiness or dizziness.

Hazard statements (EU)

## Trade name: SOFORT DICHT

Product no : SODI

Current version : 1.0.1, issued	d: 15.10.2024	Replaced version: 1.0.0, issued: 14.12.2023	Region: GER
EUH066	Repeated e	xposure may cause skin dryness or cracking.	

Precautionary state	ment(s)
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P271	Use only outdoors or in a well-ventilated area.
P370+P378	In case of fire: Use water spray, extinguishing powder, foam or CO2 to extinguish.
P501	Dispose of contents/container to hazardous or special waste collection point.

#### 2.3 Other hazards

No data available.

**SECTION 3: Composition/information on ingredients** 

#### 3.1 **Substances**

Not applicable. The product is not a substance.

#### 3.2 **Mixtures**

#### **Chemical characterization**

Solvent containing acrylic resin with mineral filler, acrylic fibres and additives

Hazardous	ingredients

No	Substance name		Additi	onal inf	ormati	on	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	entratio	n		%
	REACH no						
1	Hydrocarbons, C9-	C10, n-alkanes, isoalkanes, cyclics, <2%					
	aromatics						
	-	Aquatic Chronic 3; H412	>=	10,00	- <	25,00	wt%
	927-241-2	Asp. Tox. 1; H304					
	-	Flam. Liq. 3; H226					
	01-2119471843-32	STOT SE 3; H336					
		EUH066					
2	n-butyl acetate						
	123-86-4	EUH066	>=	10,00	- <	25,00	wt%
	204-658-1	Flam. Liq. 3; H226					
	607-025-00-1	STOT SE 3; H336					
	-						
3	silicon dioxide, che	emically prepared					
	7631-86-9	-	>=	10,00	- <	25,00	wt%
	231-545-4						
	-						
	01-2119379499-16						
Full	text of H- and EUH-pl	nrases, if not already mentioned in section 2.2; see se	ction 16	3			

Full text of H- and EUH-phrases, if not already mentioned in section 2.2: see section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

### **General information**

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

#### After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air.

## After skin contact

Wash off immediately with soap and water.

#### After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

### After ingestion

## Trade name: SOFORT DICHT

### Product no.: SODI

Current version : 1.0.1, issued: 15.10.2024

Replaced version: 1.0.0, issued: 14.12.2023

Do not induce vomiting. Call a doctor immediately. Never give anything by mouth to an unconscious person. Rinse out mouth and give plenty of water to drink.

- **4.2 Most important symptoms and effects, both acute and delayed** No data available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available.

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

## Suitable extinguishing media

Water spray jet; Extinguishing powder; Carbon dioxide; Foam **Unsuitable extinguishing media** 

High power water jet

## 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2); Hydrocarbons

## 5.3 Advice for firefighters

Cool endangered containers with water spray jet. Use self-contained breathing apparatus. Wear protective clothing. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Keep away from ignition sources.

#### For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

#### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into surface waters/groundwater.

#### 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). Send in suitable containers for recovery or disposal.

## 6.4 Reference to other sections

No data available.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

#### Advice on safe handling

Provide good ventilation at the work area (local exhaust ventilation, if necessary). Refer to protective measures listed in section 8.

#### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Do not inhale vapours. Wash hands before breaks and after work.

## Advice on protection against fire and explosion

Vapours can form an explosive mixture with air. Take precautionary measures against static charges. Keep away from sources of heat and ignition.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

## Requirements for storage rooms and vessels

## Trade name: SOFORT DICHT

## Product no.: SODI

10

Current version : 1.0.1, issued: 15.10.2024

Replaced version: 1.0.0, issued: 14.12.2023

Region: GER

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

## Incompatible products

Do not store together with: oxidizing agents

#### Stoarge Class according TRGS 510

Combustible liquids that cannot be assigned to any of the above storage classes

## 7.3 Specific end use(s)

No data available.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

## Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	Hydrocarbons, C9-C10, n-alkanes, isoalkanes,			927-241-2	
	cyclics, <2% aromatics				
	TRGS 900				
	Kohlenwasserstoffgemische, Verwendung als Lösemittel	(Lösemittelkoł	nlenwassersto	offe), additiv-frei	i: C9-C15
	Aliphaten				
	WEL long-term (8-hr TWA reference period)	600	mg/m³		
	Ceiling Limit	2 (II)			
2	silicon dioxide, chemically prepared	7631-86-9		231-545-4	
	TRGS 900				
	Kieselsäuren, amorphe				
	WEL long-term (8-hr TWA reference period)	1 E	mg/m³		
	Notes	Y, 2			
	2004/37/EC				
	Respirable crystalline silica dust				
	WEL long-term (8-hr TWA reference period)	0,1 (9)	mg/m³		
3	n-butyl acetate	123-86-4		204-658-1	
	TRGS 900				
	n-Butylacetat				
	WEL long-term (8-hr TWA reference period)	300	mg/m³	62	ml/m³
	Ceiling Limit	2(I)			
	Notes	Y			
	EU 2019/1831				
	n-Butyl acetate				
	WEL short-term (15 min reference period)	723	mg/m³	150	ppm
	WEL long-term (8-hr TWA reference period)	241	mg/m <sup>3</sup>	50	ppm

## **DNEL, DMEL and PNEC values**

## DNEL values (worker)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	Hydrocarbons, C9-C10, n	-alkanes, isoalkanes, cyclic	cs, <2% aromatics	-	
	-	-		927-241-2	
	dermal	Long term (chronic)	systemic	77	mg/kg/day
	inhalative	Long term (chronic)	systemic	871	mg/m³

#### DNEL value (consumer)

No       Substance name       CAS / EC no         Route of exposure       Exposure time       Effect       Value         1       Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics       -       927-241-2         oral       Long term (chronic)       systemic       46       mg/kg/day         dermal       Long term (chronic)       systemic       46       mg/kg/day         inhalative       Long term (chronic)       systemic       185       mg/m³					
	Route of exposure	Exposure time	Effect	Value	
1	Hydrocarbons, C9-C10, n-	alkanes, isoalkanes, cyclic	s, <2% aromatics	-	
				927-241-2	
	oral	Long term (chronic)	systemic	46	mg/kg/day
	dermal	Long term (chronic)	systemic	46	mg/kg/day
	inhalative	Long term (chronic)	systemic	185	mg/m³

## Trade name: SOFORT DICHT

Product no.: SODI

Current version : 1.0.1, issued: 15.10.2024

Replaced version: 1.0.0, issued: 14.12.2023

## 8.2 Exposure controls

Appropriate engineering controls No data available.

#### Personal protective equipment

#### **Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. Short term: filter apparatus, Filter A/P

## Eye / face protection

Tightly fitting safety glasses (EN 166).

#### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves. Appropriate Material butyl rubber Breakthrough time > 120 min

Other
-------

Light protective clothing

Environmental exposure controls No data available.

**SECTION 9: Physical and chemical properties** 

## 9.1 Information on basic physical and chemical properties

State of aggregation					
liquid					
Form					
pasty					
Colour					
grey					
Odour					
characteristic					
pH value					
No data available					
Boiling point / boiling range					
No data available					
Melting point/freezing point					
No data available					
Decomposition temperature					
No data available					
Flash point	1				
Value	>	24	°C		
Ignition temperature					
No data available					
Flammability					
No data available					
Lower explosion limit No data available					

## Trade name: SOFORT DICHT

## Product no.: SODI

Current version : 1.0.1, issued: 15.10.2024

Replaced version: 1.0.0, issued: 14.12.2023

Region: GER

No	oper explosion limit
Va	pour pressure
	o data available
	elative vapour density
No	o data available
	elative density o data available
	o data available
	lubility in water
	immiscible
So	lubility
	data available
	rtition coefficient n-octanol/water (log value)
No	o data available
	nematic viscosity
va Ty	lue appr. 60000 cP pe kinematic
	article characteristics
	o data available
9.2	Other information
	her information
No	o data available.
SEC	TION 10: Stability and reactivity
	Reactivity
10.1	No data available.
10.2	<b>Chemical stability</b> Stable under recommended storage and handling conditions (See section 7).
10.3	Possibility of hazardous reactions No data available.
10.4	Conditions to avoid Heat
10.5	Incompatible materials Oxidizing agents
10.6	Hazardous decomposition products Hydrocarbons
SEC	TION 11: Toxicological information
11.1	Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	te oral toxicity				
No	Substance name		CAS no.		EC no.
1	Hydrocarbons, C9-C10, n-alkanes, isoalk	anes,	-		927-241-2
	cyclics, <2% aromatics				
LD5	0	>		5000	mg/kg bodyweight
Spe	cies	rat			
Meth	nod	OECD 401			
Sou	rce	manufacturer			

## Trade name: SOFORT DICHT

Product no.: SODI Current version : 1.0.1, issued: 15.10.2024 Replaced version: 1.0.0, issued: 14.12.2023 Region: GER n-butyl acetate 123-86-4 204-658-1 2 LD50 13100 mg/kg bodyweight Species rat Source manufacturer Acute dermal toxicity No Substance name CAS no. EC no. Hydrocarbons, C9-C10, n-alkanes, isoalkanes, 927-241-2 1 cyclics, <2% aromatics LD50 5000 mg/kg bodyweight > Species rabbit Method **OECD 402** Source manufacturer 2 n-butyl acetate 123-86-4 204-658-1 LD50 14100 mg/kg bodyweight rabbit Species Source manufacturer Acute inhalational toxicity No Substance name CAS no. EC no. Hydrocarbons, C9-C10, n-alkanes, isoalkanes, 927-241-2 1 cyclics, <2% aromatics LC50 > 4,951 mg/l Duration of exposure Λ State of aggregation Dust/mist Species rat Method **OECD 403** manufacturer Source Skin corrosion/irritation No data available Serious eye damage/irritation No data available Respiratory or skin sensitisation No data available Germ cell mutagenicity No data available **Reproduction toxicity** No data available Carcinogenicity No data available STOT - single exposure No data available STOT - repeated exposure No data available **Aspiration hazard** No data available **Endocrine disrupting properties** No data available Delayed and immediate effects as well as chronic effects from short and long-term exposure Inhalation of vapours may lead to headache, drowsiness and dizziness. Inhalation of vapours in higher concentration may lead to irritation of eyes, nose and respiratory tract. Repeated and prolonged skin contact may cause removal of

natural fat from the skin and irritation of the skin. Eye contact with the product may lead to irritation.

## 11.2 Information on other hazards

Other information

## Trade name: SOFORT DICHT

Product no.: SODI

Current version : 1.0.1, issued: 15.10.2024

Replaced version: 1.0.0, issued: 14.12.2023

No data available.

## SECTION 12: Ecological information

## 12.1 Toxicity

	icity to fish (acute) Substance name		CAS no.		EC no.	
1	Hydrocarbons, C9-C10, n-alkanes, isoa	kanes,	-		927-241-2	
	cyclics, <2% aromatics	,				
LL50	0	10	-	30	mg/l	
	ation of exposure			96	h	
Spe		Oncorhynch				
Sou	-	manufacture				
	n-butyl acetate		123-86-4		204-658-1	
LC5				62	mg/l	
	ation of exposure cies	Leuciscus id	luo.	96	h	
Meth		DIN 38412	lus			
		DIN 30412				
Toxi	icity to fish (chronic)					
No c	data available					
Toxi	icity to Daphnia (acute)					
	Substance name		CAS no.		EC no.	
1	Hydrocarbons, C9-C10, n-alkanes, isoal	kanes,	-		927-241-2	
	cyclics, <2% aromatics					
EL5		22	-	10	mg/l	
	ation of exposure	_		48	h	
	cies	Daphnia ma				
Sou	rce	manufacture	er			
Toxi	icity to Daphnia (chronic)					
	data available					
	icity to algae (acute)				50	
-	Substance name	lkonoo	CAS no.		EC no.	
1	Hydrocarbons, C9-C10, n-alkanes, isoa cyclics, <2% aromatics	ikanes,	-		927-241-2	
EL5		>		1000	mg/l	
	ation of exposure	-		72	h	
	cies	Pseudokirch	neriella subcapit			
Sou		manufacture				
2	n-butyl acetate		123-86-4		204-658-1	
EC5				647,7	mg/l	
	ation of exposure			72	h	
Spe			nus subspicatus			
Sou	rce	ECHA				
Toxi	icity to algae (chronic)					
No	Substance name		CAS no.		EC no.	
1	Hydrocarbons, C9-C10, n-alkanes, isoa	kanes,	-		927-241-2	
	cyclics, <2% aromatics					
NOE	ELR	<		1	mg/l	
	ation of exposure			72	h	
Spe			ineriella subcapit	ata		
Sou	rce	manufacture	er			
	teria toxicity					
Bac						
No c	lata available					
No c 2 F	data available Persistence and degradability					
10 c 2	lata available					

CAS no.

## Trade name: SOFORT DICHT

## Product no.: SODI

Current version : 1.0.1, issued: 15.10.2024

Replaced version: 1.0.0, issued: 14.12.2023

Region: GER

1 Hydrocarbons, C9-C10, r cyclics, <2% aromatics	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, - cyclics, <2% aromatics		927-241-2	
Туре	aerobic biodegradation			
Value		89	%	
Duration		28	day(s)	
Method	OECD 301 F			
Source	ECHA			
Evaluation	readily biodegradable			

## 12.3 Bioaccumulative potential

No data available.

## 12.4 Mobility in soil

No data available.

- **12.5 Results of PBT and vPvB assessment** No data available.
- **12.6 Endocrine disrupting properties** No data available.

## 12.7 Other adverse effects

No data available.

#### 12.8 Other information Other information

Do not discharge into drains or waters and do not dispose of in public landfills.

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

#### Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

## Packaging

Completely emptied packagings can be given for recycling. Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company.

## **SECTION 14: Transport information**

	UN number or ID number ADR/RID/ADN IMDG ICAO-TI / IATA	UN1133 UN1133 UN1133
	UN proper shipping name ADR/RID/ADN IMDG ICAO-TI / IATA	ADHESIVES ADHESIVES Adhesives
	Transport hazard class(es) ADR/RID/ADN - Class Label Classification code Tunnel restriction code Hazard identification no. Comments (ADR/RID/ADN) IMDG - Class Label Comments (IMDG)	3 3 F1 D/E 30 Containers with a capacity <= 450 ltrs are not subject to ADR-regulations (refer to 2.2.3.1.5.) 3 3 Containers with a capacity <= 450 ltrs are not subjected to IMDG regulations, chapter 4.1, 5.2 and 6.1 (see IMDG-Code 2.3.2.5)

## Trade name: SOFORT DICHT

Product no.: SODI

Current version : 1.0.1, issued: 15.10.2024

	<b>ICAO-TI / IATA - Class</b> Label	3 3
14.4	Packing group ADR/RID/ADN IMDG ICAO-TI / IATA	     
14.5	<b>Environmental hazards</b> EmS	F-E, S-D
14.6	Special precautions for user	

No data available.

14.7 Maritime transport in bulk according to IMO instruments Not relevant

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

## Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

#### REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

 Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

 The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.
 No 3, 40

 Directive 2012/18/EU
 on the control of major-accident hazards involving dangerous substances

 This product is subject to Part I of Annex I, risk category:
 P5c

#### Other regulations

Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed.

## National regulations

## Water Hazard Class (Germany)

Class Source

Classification according to AwSV (Regulation on facilities for handling substances that are hazardous to water).

### Other regulations GISCODE: M-GP03

## 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

## **SECTION 16: Other information**

#### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Trade name: SOFORT DICHT

Product no.: SODI

Current version : 1.0.1, issued: 15.10.2024

# Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H304	May be fatal if swallowed and enters airways.
H412	Harmful to aquatic life with long lasting effects.

## Creation of the safety data sheet

UMCO GmbH Georg-Wilhelm-Str. 187, D-21107 Hamburg Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 20286